# 

# 2023 CATALOG




















# **Table of Contents**

| About Infab                | ა               |
|----------------------------|-----------------|
| Core Material              | 4               |
| Revolution Aprons          | 6               |
| Classic Aprons             | 26              |
| Lightning Aprons           | 48              |
| Smart Track                | 50              |
| Accessories                | 52              |
| Disposables-Casette Covers | 61              |
| Disposables-Scatter Armor  | 64              |
|                            |                 |
| Disposables-C-Arm Drapes   | 66              |
| Disposables-C-Arm Drapes   |                 |
|                            | 70              |
| Glasses                    | 70<br>93        |
| GlassesGloves              | 93<br>98        |
| Glasses                    | 93<br>98<br>112 |
| Glasses                    | 9398112         |
| Glasses                    | 93112123        |

## **Connect with Us**

INFAB has established itself as a global company. Reach us anywhere around the world for the best radiation protection. Connect with us through social media:











<sup>\*</sup> Product availability and details may change at any time. For current information and availability, please view our online catalog at https://www.infabcorp.com/catalog.

# Welcome to INFAB

INFAB enables health care providers and patients to apply and benefit from imaging technology's diagnostic capabilities with the peace of mind that comes from knowing they are protected by the best-engineered garments, eyewear, and protective barriers in the world.

INFAB designs and builds the world's lightest weight, most comfortable and technologically advanced radiation attenuation products with the highest protection levels of any manufacturer.

## **Reach out to our Sales Team**

Monday - Friday: 6:30 AM - 5 PM (PT)

Number: (805) 987-5255

Email: in fo@infabcorp.com





# The World's Most Advanced Certified Radiation Protection Core Material

KIARMOR is the only lead-free material that passes all three universally recognized testing procedures:

- ASTM F2547-18
- IEC 61331-1:2014
- DIN 6857-1










# Tested & Certified Against 50 kVp to 150 kVp

KIARMOR Bi-Layer is tested and certified for attenuation and lead equivalence by the National Physical Laboratory (NPL) against a full range of radiation qualities 50 kVp to 150 kVp using the broad beam geometry method.



# 2 Individual Layers Within1 Homogenous Material

KIARMOR takes advantage of the physics associated with using individual layers of specific materials to provide maximum attenuation by eliminating the effects of fluorescence.



| Sb | Antimony | <b>51</b> (Low atomic weight element)  |
|----|----------|--|
| Bi | Bismuth  | <b>83</b> (High atomic weight element) |

| Radiation Protection              |  |                              | Attenuation         |        |        |        |         | Core Weight | Core Weight | Front Protection                      |                                  |                                       |
|-----------------------------------|--|------------------------------|---------------------|--------|--------|--------|---------|-------------|-------------|---------------------------------------|----------------------------------|---------------------------------------|
|                                   | CORE Material  |                              | Lead<br>Equivalency | 50 kVp | 70 kVp | 90 kVp | 110 kVp | 120 kVp     | 150kVp      | Lb/Ft <sup>2</sup> (of core in apron) | KG/m <sup>2</sup> (area density) | Male Medium<br>Apron Weight<br>303M-M |
| KIARMOR Lead-Free is the lightest |  |                              | .25mm LE            | 98.7%  | 96.1%  | 92.0%  | 87.8%   | 85.8%       | 80.1%       | 0.522                                 | 2.55                             | 3.85 Lbs.                             |
| KIARMOR™                          | weight protection offered. It is the<br>only lead-free material that passes<br>all 3 universally recognized testing        | ree material that passes One | .35mm LE            | 99.6%  | 98.0%  | 95.3%  | 92.7%   | 91.5%       | 88.1%       | 0.729                                 | 3.56                             | 5.0 Lbs.                              |
| BI-LAYER<br>LEAD-FREE             | procedures: ASTM F2547-18,<br>IEC 61331-1:2014, DIN 6857-1   | Layer                        | .5mm LE             | 99.9%  | 99.4%  | 97.8%  | 96.3%   | 95.5%       | 93.0%       | 1.042                                 | 5.09                             | 6.95 Lbs.                             |
|                                   |  |                              |                     |        |        |        |         |             |             |                                       |                                  |                                       |
| 41                                | Our Lightweight Lead   |                              | .25mm LE            | 98.8%  | 95.1%  | 90.7%  | 87.5%   | 86.2%       | 82.7%       | 0.622                                 | 3.04                             | 4.35 Lbs                              |
| HEHTWEIGHT                        | core material passes all 3<br>universally recognized testing<br>procedures: ASTM F2547-18, IEC<br>61331-1:2014, DIN 6857-1 | Lightweight Lead             | .35mm LE            | 99.7%  | 97.6%  | 94.5%  | 92.3%   | 91.3%       | 88.6%       | 0.872                                 | 4.26                             | 6.15 Lbs                              |
| LEAD                              |  |                              | .5mm LE             | 99.9%  | 99.1%  | 97.4%  | 96.1%   | 95.5%       | 93.0%       | 1.245                                 | 6.08                             | 8.0 Lbs                               |

For over 40 years INFAB has been a leader in providing our customers with new and innovative products to protect against harmful radiation. We believe our customers have the right to be educated about precisely what is in their radiation protection aprons. We offer a simple two core material line: KIARMOR Lead Free and Lightweight Lead.

Every core material option provides complete attenuation between 50 and 150 kVp. INFAB has dedicated countless hours into the research and development of the best materials to keep customers safe. We urge you to always ask for testing results as a basis of comparison. INFAB KIARMOR offers the lightest material that passes all international protection standards.

# REVOLUTION

# **Key Features**



**Smart Track** 



**Abrasion Resistant** 



**Flame Resistant** 



**Water Resistant** 



**Bacteria Resistant** 



**Cool wear** 



Monograms can be added either in "Block" or "Script" to any INFAB Aprons

# How to Measure for Your New Apron

- Take all measurements with a cloth measuring tape.
- Measurements should be taken over your clothing.
- Do not attempt to take your own measurements. You should request the help of an assistant for best accuracy.
- Refer to the Find Your Size diagram for proper location of measurements.
- Some apron patterns are cut for specific genders. In these
  instances, if users of various genders will be sharing
  aprons, plan to consider male size options. If aprons are
  being purchased for separate gender use, plan to select
  the specific gender of the wearer(s) to ensure the best
  protection/fit.
- Once all measurements have been taken, refer to our sizing chart to find your size.
- If it is determined that a user is between sizes, consider the larger size. Garments that are too big may be made smaller; however, garments that are too small cannot be made larger.

# The Tools You Will Need



**Cloth Measuring Tape** 



**Pencil & Paper** 



**Measuring Assistant** 

#### **REVOLUTION | FEMALE SIZING**

#### Revolution Vest Length (\*)

| Location | xSmall, Small, Medium, Large, xLarge | 2xLarge     |
|----------|--------------------------------------|-------------|
| Front    | 22" / 56 cm                          | 24" / 61 cm |
| Back     | 26" / 66 cm                          | 28" / 66 cm |

#### Revolution Skirt Length (\*)

| Location   | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|------------|---|
| Wraparound | 22" / 56 cm                                   |

#### Revolution Front Panel Apron Length (\*)

| Location | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|----------|---|
| Front    | 38" / 97 cm                                   |

#### Revolution Full Wrap Apron Length (\*)

| Location   | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|------------|---|
| Wraparound | 38" / 97 cm                                   |

# Find Your Size

Available Length
Alteration of (±2" or ±4")

Measure from high point shoulder to about 1" above the knee. This will be your one piece apron length.



SPECIAL SIZING

If you see these icons, it means that the apron has its own unique measurements.

Measure from high point shoulder to desired skirt belt line. Then add 4" to find your vest length.

Measure from your desired skirt belt line to about 1" above the knee. This will be your skirt length.

#### **Revolution 903 Vest Sizing**

| Location   | xSmall             | Small             | Medium            | Large              | xLarge              | 2xLarge             |
|------------|--------------------|-------------------|-------------------|--------------------|---------------------|---------------------|
| Chest (C)  | 33"-34" / 84-86 cm | 35-36" / 89-91 cm | 37-38" / 94-97 cm | 39-40" / 99-102 cm | 41-42" / 104-107 cm | 43-44" / 109-112 cm |
| Length (L) | 21" / 53 cm        | 21.5" / 55 cm     | 22" / 56 cm       | 22.5" / 57 cm      | 23" / 58 cm         | 23.5" / 60 cm       |

#### **Revolution 903 Skirt Sizing**

| Location   | xSmall            | Small             | Medium            | Large             | xLarge            | 2xLarge             |
|------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|
| Waist (W)  | 25-27" / 64-67 cm | 28-30" / 71-76 cm | 31-33" / 79-84 cm | 34-36" / 86-91 cm | 37-39" / 94-99 cm | 40-42" / 102-107 cm |
| Length (L) | 22" / 56 cm       | 22" / 58 cm       | 22" / 58 cm         |

#### **603 Unisex Sizing**

| Location  | xSmall            | Small             | Medium             | Large               | xLarge              | 2xLarge             |
|-----------|-------------------|-------------------|--------------------|---------------------|---------------------|---------------------|
| Chest (C) | 30-33" / 76-84 cm | 34-37" / 86-94 cm | 38-41" / 97-104 cm | 42-45" / 107-114 cm | 46-49" / 117-125 cm | 50-52" / 127-132 cm |
| Waist (W) | 25-27" / 64-67 cm | 28-31" / 71-79 cm | 32-35" / 81-89 cm  | 36-39" / 91-99 cm   | 40-43" / 102-109 cm | 44-46" / 112-117 cm |

# Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.

**HELPFUL HINTS** 

Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.

#### Female Measurements (Applies to All \*)

| Location  | xSmall            | Small             | Medium            | Large               | xLarge              | 2xLarge             |
|-----------|-------------------|-------------------|-------------------|---------------------|---------------------|---------------------|
| Chest (C) | 30-32" / 76-81 cm | 33-36" / 84-91 cm | 37-39" / 94-99 cm | 40-42" / 102-107 cm | 43-45" / 109-114 cm | 46-48" / 117-122 cm |
| Waist (W) | 25-27" / 64-67 cm | 28-30" / 71-76 cm | 31-33" / 78-84 cm | 34-36" / 86-91 cm   | 37-39" / 94-99 cm   | 40-42" / 102-107 cm |

Contact us for sizes above 2XL



If you see these icons, it means that the apron has its own unique measurements.

SIZING

UNISEX SIZING

Measure from high point shoulder to desired skirt belt line. Then add 4" to find your vest length.

Measure from your desired skirt belt line to about 1" above the knee. This will be your skirt length. Available Length Alteration of (±2" or ±4")

Measure from high point shoulder to about 1" above the knee. This will be your one piece apron length.

#### Revolution Vest Length (\*)

| Location | xSmall, Small, Medium, Large, xLarge | 2xLarge     |
|----------|--------------------------------------|-------------|
| Front    | 24" / 61 cm                          | 26" / 66 cm |
| Back     | 28" / 71 cm                          | 30" / 71 cm |

#### Revolution Skirt Length (\*)

| Location   | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|------------|---|
| Wraparound | 22" / 56 cm                                   |

#### Revolution Front Panel Apron Length (\*)

| Location | xSmall, Small, Medium, Large | xLarge       | 2xLarge      |
|----------|------------------------------|--------------|--------------|
| Front    | 38" / 97 cm                  | 42" / 107 cm | 44" / 112 cm |

#### Revolution Full Wrap Apron Length (\*)

| Location   | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|------------|---|
| Wraparound | 38" / 97 cm                                   |

## **HELPFUL HINTS**

Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.

Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.

#### **Revolution 903 Vest Sizing**

| Location   | xSmall            | Small             | Medium             | Large               | xLarge              | 2xLarge             |
|------------|-------------------|-------------------|--------------------|---------------------|---------------------|---------------------|
| Chest (C)  | 35-36" / 89-91 cm | 37-38" / 94-97 cm | 39-40" / 99-102 cm | 41-42" / 104-107 cm | 43-44" / 109-112 cm | 45-46" / 114-117 cm |
| Length (L) | 23.5" / 53 cm     | 24.5" / 62 cm     | 25" / 63.5 cm      | 25.5" / 65 cm       | 26" / 66 cm         | 26.5" / 67 cm       |

#### **Revolution 903 Skirt Sizing**

| Location  | xSmall              | Small             | Medium            | Large             | xLarge              | 2xLarge             |
|-----------|---------------------|-------------------|-------------------|-------------------|---------------------|---------------------|
| Waist (W  | ) 24-27" / 61-69 cm | 28-31" / 71-79 cm | 32-35" / 81-89 cm | 36-39" / 91-99 cm | 40-43" / 102-109 cm | 44-46" / 112-117 cm |
| Length (I | .) 22" / 56 cm      | 22" / 56 cm       | 22" / 56 cm       | 22" / 56 cm       | 22" / 58 cm         | 22" / 58 cm         |

#### Male Measurements (Applies to All \*)

| Location  | Small             | Medium             | Large               | xLarge              | 2xLarge             |
|-----------|-------------------|--------------------|---------------------|---------------------|---------------------|
| Chest (C) | 34-37" / 86-94 cm | 38-41" / 97-104 cm | 42-45" / 107-114 cm | 46-49" / 117-125 cm | 50-52" / 127-132 cm |
| Waist (W) | 28-31" / 71-79 cm | 32-35" / 81-89 cm  | 36-39" / 91-99 cm   | 40-43" / 102-109 cm | 44-46" / 112-117 cm |

(W)

(L)

Contact us for sizes above 2XL

#### 603 Unisex Sizing

| Loc  | ation  | xSmall            | Small             | Medium             | Large               | xLarge              | 2xLarge             |
|------|--------|-------------------|-------------------|--------------------|---------------------|---------------------|---------------------|
| Che  | st (C) | 30-33" / 76-84 cm | 34-37" / 86-94 cm | 38-41" / 97-104 cm | 42-45" / 107-114 cm | 46-49" / 117-125 cm | 50-52" / 127-132 cm |
| Wais | st (W) | 25-27" / 64-67 cm | 28-31" / 71-79 cm | 32-35" / 81-89 cm  | 36-39" / 91-99 cm   | 40-43" / 102-109 cm | 44-46" / 112-117 cm |

# **Core Material Configurations**





Overlapping LE #


Non-Overlapping LE #

## PARTIAL OVERLAP

REVOLUTION Vests and Full Wrap Aprons *DO NOT REQUIRE* a full overlap to achieve the stated protection level shown. Skirt Aprons *REQUIRE* a full overlap to achieve the stated protection level shown.

**REVOLUTION:** 103, B103, L103, BL103

**REVOLUTION: 203, B203** 



All non-overlapping skirt sections are .25mm LE \*

( These overlapping sections are extra protection )

# **Core Material Configurations**





Overlapping LE #

Non-Overlapping LE #

## **NO OVERLAP**


REVOLUTION Front Wrap Aprons achieve the stated protection level shown.


**REVOLUTION:** 303, B303, 403, B403, 503, B503, 603, B603


## **FULL OVERLAP**

REVOLUTION 703 and 803 Aprons *REQUIRE* a full overlap to achieve the stated protection level shown.

**REVOLUTION:** 703, 803







All non-overlapping sections are .25mm LE \*

SIZE: xSmall - 2xLarge (Pages 8-9)

FABRIC: Revolution Fabric with Cool W

 FABRIC:
 Revolution Fabric with Cool Wear

 PROTECTION:
 .25mm LE, .35mm LE, and .50mm LE

**CORE:** Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

**BASE FABRIC:** Nylon fabric with limited color options (Page 21)













Model: L103 Color Shown: 711



**The Vest:** Inside are two slits that allow the lumbar belt to slide through the garmet.

#### Revolution Full Wrap Black Belt

The Revolution Full Wrap Black Belt apron offers maximum protection with partial overlap. This apron combines comfort with superior lumbar support, which reduces fatigue and upper back stress during lengthy procedures. Built-in slits on each side with hook and loop closures provide increased mobility. The 203 features a snap-on, fully adjustable lumbar Black Belt® for superior back support. SmartTrack enabled.

 SIZE:
 xSmall - 2xLarge (Pages 8-9)

 FABRIC:
 Revolution Fabric with Cool Wear

 PROTECTION:
 .25mm LE, .35mm LE, and .50mm LE

 CORE:
 Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

**BASE FABRIC:** Nylon fabric with limited color options (Page 21)




















#### **Revolution Front**

This Revolution Front apron offers radiation protection to the front side of the body. This lead apron features a hook-and-loop closure at the waist, which relieves weight from the shoulders and adjusts for the most comfortable fit. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 8-9)FABRIC:Revolution Fabric with Cool WearPROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24) **BASE FABRIC:** Nylon fabric with limited color options (Page 21)

















#### Shown:

Cross Hatch Straps with Hook & Loop Closures

#### **Revolution Front Elastic Back**

The Revolution Front Elastic Back is designed to protect the front side of the body. The elastic back straps with waist hook-and-loop closures enhance comfort and flexibility. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 8-9)FABRIC:Revolution Fabric with Cool WearPROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

**BASE FABRIC:** Nylon fabric with limited color options (Page 21)















Shown: Elastic Straps with Hook & Loop Closures



# **503**

#### **Revolution Front Black Belt**

The Revolution Front Black Belt provides frontside body protection while offering snap-on, fully adjustable Black Belt® lumbar support. The built-in back strap provides better weight distribution between the shoulders and waist. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 8-9) **FABRIC:** Revolution Fabric with Cool Wear **PROTECTION:** .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free

COLOR: 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

Nylon fabric with limited color options (Page 21) **BASE FABRIC:** 















#### Shown:

Unique cross straps with Hook & Loop Closures

603

#### Revolution Full Wrap Elastic Back

The Revolution Full Wrap Elastic Back apron offers maximum front and back protection. The elastic back helps enhance comfort and provides superior lumbar support. Hook-and-loop closures at the waist relieve weight from the shoulders, while the top adjustable strap provides a precise fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 8-9) **FABRIC:** Revolution Fabric with Cool Wear PROTECTION: .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

**BASE FABRIC:** Nylon fabric with limited color options (Page 21)














Shown: Elastic back helps secure a proper fit





The back panels of the 603/B603 are .25mm LE \*



SIZE:xSmall - 2xLarge (Pages 8-9)FABRIC:Revolution Fabric with Cool WearPROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

**BASE FABRIC:** Not available in this model




















**Shown:** Color block inside panel of the skirt

**The Vest:** Inside are two slits that allow the lumbar belt to slide through the garmet.

803

#### Revolution Black Belt Wrap

The Revolution Black Belt Wrap apron offers full overlap protection, providing superior lumbar support with a Classic fit. Built-in slits on each side with hook and loop closures provide increased mobility. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 8-9)FABRIC:Revolution Fabric with Cool WearPROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

BASE FABRIC: Not available in this model

















All non-overlapping sections are .25mm LE \*

SPECIAL SIZING

The Revolution Reverse Vest and Skirt apron provides maximum weight distribution. Criss-cross elastic back straps provide weight relief and lumbar support, while the adjustable shoulder strap ensures a precise fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 8-9)

FABRIC: Revolution Fabric with Cool Wear

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lightweight Lead or KIARMOR Lead-Free

**COLOR:** 500, 600, 700, 800, 900, and Remix series (Pages 22-24)

BASE FABRIC: Not Available in this model















**Shown:** Left surgery dropaway shoulder closure

**Shown:** Elastic back helps secure a proper fit



All non-overlapping sections are .25mm LE \*



# REVOLUTION

**Base Aprons** 

Revolution Base offers all the comfort and protection of our premium Revolution line, but with our classic nylon colors and patterns. Revolution Base does not include Revolution Fabric, Color-Blocking or Cool-Wear.

**SIZE:** xSmall - 2xLarge (Pages 8-9)

FABRIC: Nylon

**PROTECTION:** 25mm LE, .35mm LE, and .50mm LE (Options Vary per Model)

CORE: Lightweight Lead or KIARMOR Lead-Free
COLOR: Classic color & patterns options Only













**BL103** 

Vest & Skirt -Lumbar Belt



B103

Vest & Skirt



B203

Full Wrap Apron -Lumbar Belt



B303

Front Panel Apron



B403

Front Panel Apron -Elastic back



B503

Front Panel Apron -Lumbar Belt



B603

Full Wrap Apron -Elastic back

## **500 SERIES**

Front & Back Sections: Any Color Listed Below Side Color Block: Black Only

## **600 SERIES**

Front & Back Sections: Black Only Side Color Block: Any Color Listed Below






## **700 SERIES**

Full Apron: Any Color Listed Below (This series has no "Side Color Block")

## **800 SERIES**

Front & Back Sections: Any Color Listed Below Side Color Block: White Only





704:



## 900 SERIES

Front & Back Sections: White Only Side Color Block: Any Color Listed Below

## **REMIX SERIES**

Mix & Match Any Two Colors (Upcharge Applies)







ADD ANY **STANDARD**INTERIOR COLOR OR
PATTERN ON THE **INSIDE OF YOUR APRON** 



# IF YOU HAVE ANY QUESTIONS ABOUT CHOOSING THE RIGHT RADIATION PROTECTION GARMENT FOR YOU, PLEASE CONTACT US TO SCHEDULE A

# FREE CONSULTATION

Phone: 805-987-5255 | Email: info@infabcorp.com

# CLASSIC

# **Key Features**



**Smart Track** 



**Abrasion Resistant** 



Flame Resistant



**Water Resistant** 



**Bacteria Resistant** 



**Custom Patterns** 



Monograms can be added either in "Block" or "Script" to any INFAB Aprons

# How to Measure for Your New Apron

- Take all measurements with a cloth measuring tape.
- Measurements should be taken over your clothing.
- Do not attempt to take your own measurements. You should request the help of an assistant for best accuracy.
- Refer to the Find Your Size diagram for proper location of measurements.
- Some apron patterns are cut for specific genders. In these
  instances, if users of various genders will be sharing
  aprons, plan to consider male size options. If aprons are
  being purchased for separate gender use, plan to select
  the specific gender of the wearer(s) to ensure the best
  protection/fit.
- Once all measurements have been taken, refer to our sizing chart to find your size.
- If it is determined that a user is between sizes, consider the larger size. Garments that are too big may be made smaller; however, garments that are too small cannot be made larger.

# The Tools You Will Need



**Cloth Measuring Tape** 



**Pencil & Paper** 



**Measuring Assistant** 

# Find Your Size

## **HELPFUL HINTS**

Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.

Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.


#### Classic Front Panel Apron Length (\*)

| Location | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|----------|---|
| Front    | 38" / 97 cm                                   |

#### Classic Full Wrap Apron Length (\*)

| Location   | xSmall, Small, Medium, Large, xLarge, 2xLarge |
|------------|---|
| Wraparound | 38" / 97 cm                                   |

Measure from high point shoulder to about 1" above the knee. This will be your one piece apron length.



#### Reverse & Elastic Vest Sizing (\*)

| Location   | xSmall      | Small       | Medium      | Large       | xLarge    | 2xLarge     |
|------------|-------------|-------------|-------------|-------------|-----------|-------------|
| Length (L) | 24" / 61 cm | 24" / 61 cm | 26" / 66 cm | 27" / 69 cm | 28"/71 cm | 29" / 74 cm |

#### Classic Vest Sizing (\*)

| Location   | xSmall      | Small       | Medium      | Large       | xLarge      | 2xLarge     |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Length (L) | 20" / 51 cm | 22" / 56 cm | 24" / 61 cm | 25" / 64 cm | 26" / 66 cm | 27" / 69 cm |

#### Classic Skirt Sizing (\*)


| Location   | xSmall      | Small       | Medium      | Large       | xLarge      | 2xLarge     |
|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Length (L) | 18" / 47 cm | 20" / 51 cm | 22" / 56 cm | 23" / 58 cm | 24" / 61 cm | 25" / 64 cm |

#### Female Measurements (Applies to All \*)

| Location  | xSmall            | Small             | Medium            | Large               | xLarge              | 2xLarge             |
|-----------|-------------------|-------------------|-------------------|---------------------|---------------------|---------------------|
| Chest (C) | 30-32" / 76-81 cm | 33-36" / 84-91 cm | 37-39" / 94-99 cm | 40-42" / 102-107 cm | 43-45" / 109-114 cm | 46-48" / 117-122 cm |
| Waist (W) | 25-27" / 64-67 cm | 28-30" / 71-76 cm | 31-33" / 78-84 cm | 34-36" / 86-91 cm   | 37-39" / 94-99 cm   | 40-42" / 102-107 cm |

Alteration of (±2" or ±4")

Contact us for sizes above 2XL



# **Find Your Size**

## **HELPFUL HINTS**

Chest (C): Measure widest part 1" below armhole.

Waist (W): Measure narrowest part 1" above navel.

Hips (H): Measure widest part of hips.

Length (L): We recommend 1" above the knee.

#### Classic Front Panel Apron Length (\*)

| Location Small, Medium, Large |             | xLarge     | 2xLarge    |
|-------------------------------|-------------|------------|------------|
| Front                         | 38" / 97 cm | 42"/107 cm | 44"/112 cm |

#### Classic Full Wrap Apron Length (\*)

| Location   | Small, Medium, Large, xLarge, 2xLarge |
|------------|---------------------------------------|
| Wraparound | 38" / 97 cm                           |

#### Reverse & Elastic Vest Sizing (\*)

| Location   | Small       | Medium      | Large       | xLarge      | 2xLarge     |
|------------|-------------|-------------|-------------|-------------|-------------|
| Length (L) | 25" / 64 cm | 27" / 69 cm | 28" / 71 cm | 30" / 76 cm | 30" / 76 cm |

#### Classic Vest Sizing (\*)

Measure from high

will be your one piece

apron length.

| Location   | Small       | Medium      | Large       | xLarge      | 2xLarge     |
|------------|-------------|-------------|-------------|-------------|-------------|
| Length (L) | 22" / 56 cm | 24" / 61 cm | 25" / 64 cm | 26" / 66 cm | 28" / 71 cm |

#### Classic Skirt Sizing (\*)

| Location   | Small       | Medium      | Large       | xLarge      | 2xLarge     |
|------------|-------------|-------------|-------------|-------------|-------------|
| Length (L) | 20" / 51 cm | 22" / 56 cm | 23" / 58 cm | 24" / 61 cm | 25" / 64 cm |

#### Male Measurements (Applies to All \*)

| Location  | Small             | Medium             | Large               | xLarge              | 2xLarge             |
|-----------|-------------------|--------------------|---------------------|---------------------|---------------------|
| Chest (C) | 34-37" / 86-94 cm | 38-41" / 97-104 cm | 42-45" / 107-114 cm | 46-49" / 117-125 cm | 50-52" / 127-132 cm |
| Waist (W) | 28-31" / 71-79 cm | 32-35" / 81-89 cm  | 36-39" / 91-99 cm   | 40-43" / 102-109 cm | 44-46" / 112-117 cm |

Contact us for sizes above 2XL

# Core Material Configurations





Overlapping LE #


Non-Overlapping LE #

## **FULL OVERLAP**

CLASSIC Full Wrap Vest and Skirt Aprons REQUIRE a full overlap to achieve the stated protection level shown.

**CLASSIC:** VAS

**CLASSIC:** LSW, MWA, FCW



(REMINDER: These Apron's LE is achieved by Full Overlap)


(REMINDER: These Apron's LE is achieved by Full Overlap)

## **NO OVERLAP**

CLASSIC Front Wrap Apron's and Vest's achieve the stated protection level shown.

Only the CLASSIC Skirt *REQUIRE* a full overlap to achieve the stated protection level shown.

CLASSIC: AWC, EBA, LSF, WBT, SPL, SDO, SDA, TFAM, DTL-TECH, DTL-PANO, DTL-ADULT, DTL-ADULT-TC, DTL-CHILD, DTL-CHILD-TC • EVAS, RVAS



(Most backing of these apron's will match the front LE shown)

All non-overlapping skirt sections are .25mm LE \*

SmartTrack enabled.

CORE:

PROTECTION: .50mm LE, .70mm LE, and 1.0mm LE

Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)



Buckle closure on skirts.







The Reverse Vest and Skirt apron provides maximum weight distribution. Criss-cross elastic back straps provide weight relief and lumbar support, while the adjustable shoulder strap ensures a precise fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29) **FABRIC:** Nylon (with a double welt pocket)

PROTECTION: .25mm LE, .35mm LE, and .50mm LE

CORE: Lightweight Lead or KIARMOR Lead-Free

PRINT: Solid and pattern options (Pages 41-47)















Full Overlap Apron with Lumbar Belt

The Black Belt Full Wrap apron offers maximum protection with full overlap, featuring a

snap-on, fully adjustable lumbar Black Belt®. This apron combines comfort with superior

lumbar support, which reduces fatigue and upper back stress during lengthy procedures.

Built-in slits on each side with hook and loop closures provide increased mobility.

xSmall - 2xLarge (Pages 28-29)

Nylon (with a double welt pocket)

.50mm LE, .70mm LE, and 1.0mm LE

Lightweight Lead or KIARMOR Lead-Free

Solid and pattern options (Pages 41-47)

# **EVAS**

#### Elastic Vest & Skirt

The Elastic Vest and Skirt apron provides maximum weight distribution. Criss-cross elastic back straps provide weight relief and lumbar support, while the adjustable back strap ensures a precise fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29) **FABRIC:** Nylon (with a double welt pocket) PROTECTION: .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)























**LSW** 

SmartTrack enabled.

SIZE:

**FABRIC:** 

CORE:

PRINT:

PROTECTION:

Hook and Loop Closure Side Slits









Model: LSW Print Shown: SH-6



The Full Coat Wrap offers maximum front and back full overlap protection. Built-in slits on each side with hook and loop closures provide increased mobility. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)PROTECTION:.50mm LE, .70mm LE, and 1.0mm LECORE:Lightweight Lead or KIARMOR Lead-FreePRINT:Solid and pattern options (Pages 41-47)















Model: FCW Print Shown: 179

# **AWC**

#### Weight Reliever

The Weight Reliever front protection apron features side closure straps at the waist which relieve weight from the shoulders and adjust for the most comfortable fit. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)PROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-FreePRINT:Solid and pattern options (Pages 41-47)





## **EBA**

#### **Elastic Back**

The Elastic Back front protection apron features elastic side closure straps providing weight relief, comfort, and flexibility. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)PROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-FreePRINT:Solid and pattern options (Pages 41-47)

















SIZE: xSmall - 2xLarge (Pages 28-29) **FABRIC:** Nylon (with a double welt pocket) PROTECTION: .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)









The Wide Belt apron offers frontside protection with a belt and buckle closure, adjustable for a comfortable fit. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29) **FABRIC:** Nylon (with a double welt pocket) PROTECTION: .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)

**WBT** 















Model: WBT Print Shown: SH-12

#### SPL

#### **Budget Saver**

The Budget Saver front protection apron features criss-cross tie straps for a secure, snug fit and comfortable shoulder pads. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29)

**FABRIC:** Nylon

PROTECTION: .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)





#### SDO

#### **Surgery Drop Off**

The Surgery Drop Off front protection apron is designed to be removed without breaking the sterile field. Additional handle straps located on top of shoulders for easy removal or drop off. Attaches in the front with hook and loop closures. SmartTrack enabled.

SIZE: xSmall - 2xLarge (Pages 28-29) **FABRIC:** Nylon (with a double welt pocket) PROTECTION: .25mm LE, .35mm LE, and .50mm LE CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)

















Model: SDO Print Shown: SH-3





The Tri-Flap apron features a split front panel to provide protection and comfort while seated. Criss-cross straps attach in front with a hook and loop closure. SmartTrack enabled.

SIZE:xSmall - 2xLarge (Pages 28-29)FABRIC:Nylon (with a double welt pocket)PROTECTION:.25mm LE, .35mm LE, and .50mm LECORE:Lightweight Lead or KIARMOR Lead-FreePRINT:Solid and pattern options (Pages 41-47)

















Model: TFAM Print Shown: 268

# **DTL-TECH**

#### **Dental Technician Apron**

The Dental Technician Apron front protection apron features criss-cross tie straps for a secure, snug fit and comfortable shoulder pads. SmartTrack enabled.

**SIZE:** 24" W x 36" L

**FABRIC:** Nylon

**PROTECTION:** .35mm LE

CORE: Lightweight Lead or KIARMOR Lead-Free
PRINT: Solid and pattern options (Pages 41-47)



# **DTL-PANO**

#### Pano Cape Dental Apron

The Pano Cap Dental Apron drapes over your patient's shoulders. The inner liner of this cape uses a non-slip material and fastens in the back with a hook and loop closure. SmartTrack enabled.

**SIZE:** 23" W x 25" L

FABRIC: Nylon

**PROTECTION:** .35mm LE

**CORE:** Lightweight Lead or KIARMOR Lead-Free **PRINT:** Solid and pattern options (Pages 41-47)















# **DTL-ADULT**

#### **Adult Dental Apron**

DTL-ADULT-TC

Dental Apron with

attached thyroid collar

The Adult Dental Apron provides front protection for the patient, using a non-slip material to keep it firmly in position. An attached thyroid collar option is available in this style. SmartTrack enabled.

SIZE: 24" W x27" L

**FABRIC:** Nylon PROTECTION: .35mm LE

CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)

**DTL-CHILD** 

**Child Dental Apron** 

The Child Dental Apron provides front protection for the patient, using a non-slip material to keep it firmly in position. An attached thyroid collar option is available in this style. SmartTrack enabled.

SIZE: 18" W x 24" L

**FABRIC:** Nylon PROTECTION: .35mm LE

CORE: Lightweight Lead or KIARMOR Lead-Free PRINT: Solid and pattern options (Pages 41-47)



















# **CLASSIC Colors** -

No Up-Charge

We use high quality nylon and polyester fabrics for all of our products. A polyurethane coating on the inside seals the cloth from fluid penetration and makes it easier to clean. Color-fast dyes won't transfer to your clothing. Colors and patterns may be added and discontinued at any time. For the most up to date list of apron colors, visit www.infabcorp.com/colors









103: 104: Taupe Navy Blue

105: Red

106: Chocolate

107: Kelly Green









108: Royal Blue

111: Burgundy

112: Grey

114: Black

117: Teal







Hunter

Green





118: Fuschia

119: Purple

129:

154: Orange

202: Sky Blue



204:

Gold



Charcoal

205:




Mix Colors/Patterns with Colored Trim Create Your Own Unique Look. Example on Page: 45

# Custom Made -

**Up-Charge** 

INFAB offers the ability to make custom fabrics for any of our Classic style radiation protection aprons. Our team will work with you to create a unique, one-of-a-kind designed apron of your own.





# **CLASSIC Patterns**

#### No Up-Charge



# **CLASSIC Patterns**

#### No Up-Charge



# **CLASSIC Patterns**

#### No Up-Charge



SH-44: 80's Abstract Frenchies





SH-49: Tropical Avocado




SH-50: Colorful Cat



SH-51: Dice



SH-52: Mixed Dogs



SH-53: Happy Hippo




SH-54: Lightning




SH-55: Ocean Life



SH-56: Rubber Ducks



SH-57: Electric Steel



SH-58: Wine Grapes

Colors and patterns may be added or discontinued at any time. For the most up-to-date list of apron colors, visit www.infabcorp.com/colors.



# **CLASSIC Colors**

No Up-Charge

INFAB offers a variety of colors for your apron. Color-fast dyes won't ever transfer to your clothing. Colors and patterns may be added and discontinued at any time. For the most up to date list of apron colors, visit www.infabcorp.com/colors

#### **Trim Color Options**













103: 104: Taupe Navy Blue

105: Red

106: Chocolate

107: Kelly Green











108: Royal Blue

111: Burgundy

112: Grey

114: Black

117: Teal













118: Fuchsia

119: Purple

129: Hunter Green

154: Orange

204: Gold



205: Charcoal

# Example Mix Colors/Patterns and Trims Create Your Own Unique Look at No Extra Charge



118: Apron Color







# Model: B103 Print Shown: 194 Burgundy Diamond Ripstop

# **CLASSIC Ripstop**

No Up-Charge

Ripstop fabrics are woven fabrics, often made of nylon, using a special reinforcing technique that makes them resistant to tearing and ripping. A polyurethane coating on the inside seals the cloth from fluid penetration and makes it easier to clean. Color-fast dyes won't transfer to your clothing. Colors and patterns may be added and discontinued at any time. For the most up to date list of apron colors, visit www.infabcorp.com/colors



**190:** Blue



**197:** Red

Red Diamond Ripstop



192: Grey Diamond Ripstop



194:
Burgundy
Diamond Ripstop



199:
Purple
Diamond Ripstop



196: Bronze Diamond Ripstop




**200:**Hunter Green
Diamond Ripstop

#### Close up view of the Ripstop pattern

198:

Black

Diamond Ripstop



Colors and patterns may be added or discontinued at any time. For the most up-to-date list of apron colors, visit www.infabcorp.com/colors.



# **CLASSIC Premium Patterns**



**SCP258-54** Vintage Postcard



TRP549-55 Hatchet Blue



MIR239-53 Happy Talk



MIR285-57 Star Gazer



**TFX755-45** Purple Plaid



MIR280-05 Galaxy Red



SCP084-60 Dancing Zebras



TXF779-44 Mystery Splash




SCP304-09 Dog Paw



**TRTB-NC65** Timber Camo




MIR260-03 Candy Circles



SCP088-43 Purple Flame




SCP337-57 American Stars



**TFX767-37** Baby Leo



MIR272-33 Mantis Pink



SCP244-85 Teal Splash




MIR222-55 Denim Pockets



CAS009-33 Wildcat Pink



MIR272-53 Mantis Blue



SCP098-82 Red Cherries



SCP305-95 Dalmatians



TRTB-MC2 Snow Camo



MIR278-09 Crayon Hearts



SCP139-13 Green Lantern



**TFX755-31** Pink Plaid



MIR215-51 Blue Camo



Galaxy



SCP145-95 Red Granite



**TFX778-57** Blue Mamba



MIR215-55 Navy Camo



SCP393-09 Hounds Tooth

# LIGHTMING

# **Quick Ship Aprons**







**Smart Track** 



**Abrasion Resistant** 



Flame Resistant



**Water Resistant** 



**Bacteria Resistant** 

#### **Available in Six Colors**



**114:** Black



108: Royal Blue



205: Charcoal



**119:** Purple



105:

Red

**117:** Teal

#### UVS

#### Lightning Vest & Skirt

The Lightning Vest and Skirt apron provides full overlap protection and maximum weight distribution between the shoulders and hips, eliminating stress on the upper and lower back. SmartTrack enabled. Available in-stock and ready to ship.

SIZE: Small - 2xLarge

**FABRIC:** Nylon (with a double welt pocket)

**PROTECTION:** .35mm LE, and .50mm LE

**CORE:** KIARMOR Lead-Free, Lightweight Lead, **COLORS:** Black, Blue, Charcoal, Purple, Red, Teal



| Size | Chest               | Waist               | Vest Front  | Skirt       |
|------|---------------------|---------------------|-------------|-------------|
| S    | 34-37" / 86-94 cm   | 28-31" / 71-79 cm   | 24" / 61 cm | 20" / 51 cm |
| М    | 38-41" / 97-104 cm  | 32-35" / 81-89 cm   | 24" / 61 cm | 22" / 56 cm |
| L    | 42-45" / 107-114 cm | 36-39" / 91-99 cm   | 24" / 61 cm | 23" / 58 cm |
| XL   | 46-49" / 117-125 cm | 40-43" / 102-109 cm | 24" / 61 cm | 24" / 61 cm |
| 2XL  | 50-52" / 127-132 cm | 44-46" / 112-117 cm | 24" / 61 cm | 25" / 64 cm |

### UFW

Model: UFW Color Shown: Teal

#### Lightning Full Wrap

The Lightning Full Wrap offers maximum front and back full overlap protection. Built-in slits on each side with hook and loop closures provide increased mobility. SmartTrack enabled. Available in-stock and ready to ship.

SIZE: Small - 2xLarge

**FABRIC:** Nylon (with a double welt pocket)

PROTECTION: .35mm LE, and .50mm LE

CORE: KIARMOR Lead-Free, Lightweight Lead, **COLORS:** Black, Blue, Charcoal, Purple, Red, Teal







| Size | Chest               | Waist               | Length      |
|------|---------------------|---------------------|-------------|
| S    | 34-37" / 86-94 cm   | 28-31" / 71-79 cm   | 38" / 97 cm |
| М    | 38-41" / 97-104 cm  | 32-35" / 81-89 cm   | 38" / 97 cm |
| L    | 42-45" / 107-114 cm | 36-39" / 91-99 cm   | 38" / 97 cm |
| XL   | 46-49" / 117-125 cm | 40-43" / 102-109 cm | 38" / 97 cm |
| 2XL  | 50-52" / 127-132 cm | 44-46" / 112-117 cm | 38" / 97 cm |

#### **UFP**

#### **Lightning Front Protection**

The Lightning Front Protection apron features side closure straps at the waist which relieve weight from the shoulders and adjust for the most comfortable fit. SmartTrack enabled. Available in-stock and ready to ship.

SIZE: Small - 2xLarge

**FABRIC:** Nylon (with a double welt pocket)

PROTECTION: .35mm LE, and .50mm LE

CORE: KIARMOR Lead-Free, Lightweight Lead, **COLORS:** Black, Blue, Charcoal, Purple, Red, Teal

















| Size | Chest               | Waist               | Length      |
|------|---------------------|---------------------|-------------|
| S    | 34-37" / 86-94 cm   | 28-31" / 71-79 cm   | 38" / 97 cm |
| М    | 38-41" / 97-104 cm  | 32-35" / 81-89 cm   | 38" / 97 cm |
| L    | 42-45" / 107-114 cm | 36-39" / 91-99 cm   | 38" / 97 cm |
| XL   | 46-49" / 117-125 cm | 40-43" / 102-109 cm | 38" / 97 cm |
| 2XL  | 50-52" / 127-132 cm | 44-46" / 112-117 cm | 38" / 97 cm |



# Track & Document Lead Apron Inspections •——

Manage all of your lead aprons in one place with Smart Track, the completely FREE and secure web-based garment tracking system.



#### **HOW IT WORKS**

- 1. Download the free app.
- 2. Create your Smart Track account.
- 3. Add your garments.
- 4. Document your inspections.
- 5. Set inspection reminders.
- 6. Export and download reports.

#### **KEY FEATURES**

- No Software & No Registration
- · Garment Dashboard
- Custom Reports
- Bulk Uploads & Editing
- Filtered Search
- + More!







#### TRACK ANY GARMENT

Use your existing garment IDs or add Smart Track Retrofit Tags to any apron to get started. Smart Track Retrofit Tags feature unique IDs that can be scanned with the Smart Track App or any 2D scanner.





Annual

Inspection Stickers





SMART TRACK Scanner

SMART TRACK 2D bar code tags with permanent securitystyle backing

SMART TRACK

#### **TESTIMONIALS**

"Smart Track makes it simple to manage my suite of lead aprons. We track over 100 aprons - it saves time and headaches."

Rich Norman – Lead Tech Los Robles Hospital, Thousand Oaks, CA

"Tracking lead aprons and making sure that they have been inspected is a challenge for any large radiology facility. Of the many apron-tracking systems I reviewed, I knew that the "SMART TRACK" apron inventory system would work for our facility and meet new regulatory standards set by "The Joint Commission"...The system is user friendly. All I know is that anyone who has the burden of tracking aprons needs to get "Smart" about tracking their apron inventory".

Roseann Zeldin, RT, (R) (M), CNMT – Assistant Radiation Safety Officer Department of Radiology & Imaging Hospital for Special Surgery New York City, New York

"The SMART TRACK Apron Inventory system has revolutionized the way lead apron quality control testing and inventory management is performed at our facility. It is a superior, comprehensive, and user-friendly product. Individual bar codes make tracking aprons quick and easy. It is the best system I have had the opportunity to work with."

Doug Beardsall MRT (R) CTIC – Senior Technologist QC Royal Victoria Regional Health Center Barrie, Ontario



#### YouTube Video's AVAILABLE NOW!

Access our helpful videos on how to use the all new Smart Track App!

#### **REV-TC** REVOLUTION THYROID COLLAR

**SIZES:** One size fits most

**COLORS:** 500 Series, 600 Series, 700 Series, 800 Series, 900 Series, Remix

CORE: Lightweight Lead, KIARMOR Lead-Free

**CLOSURE:** Hook and Loop Closure, Buckle

· Large coverage area

• Exclusive Revolution outer fabric

· Cool Wear moisture-wicking liner

· Optional monogram

Optional KTC attachment



#### **SVT** VISOR STYLE THYROID COLLAR

SIZES: X-Small, Standard, Medium

COLORS: Al

**CORE:** Lightweight Lead, KIARMOR Lead-Free

**CLOSURE:** Hook and Loop Closure, Buckle

- · Comfortable fit
- · Large coverage area
- Optional monogram
- Optional KTC attachment





#### **NST** THYROID COLLAR WITHOUT BINDING

SIZES: X-Small, Standard, Medium

**COLORS:** Revolution 700 Series & All Classic Nylon Colors

CORE: Lightweight Lead, KIARMOR Lead-Free
CLOSURE: Hook and Loop Closure, Buckle, Magnet

· Comfortable fit

- · Large protection area
- Optional monogram
- · Optional KTC attachment





#### MTC MAGNETIC THYROID COLLAR

SIZES: X-Small, Standard, Medium

COLORS: All

CORE: Lightweight Lead, KIARMOR Lead-Free

**CLOSURE:** Magnet

- Comfortable fit
- Large coverage area
- · Optional monogram
- Optional KTC attachment





#### TCV THYROID COLLAR WITH BINDING

SIZES: X-Small, Standard, Medium

**COLORS:** Revolution 700 series & All Classic Nylon Colors

CORE: Lightweight Lead, KIARMOR Lead-Free
CLOSURE: Hook and Loop Closure, Buckle or Magnet

· Comfortable fit

- · Large protection area
- Optional monogram
- Optional KTC attachment





#### **KTC** ATTACHMENT OPTIONS







**KTC** Key Ring



**KTC** No Buckle



KTC attachment is now securely positioned on the shoulder of all Revolution aprons.

#### **300102** THYROID COLLAR COVER



- Keeps thyroid collars sanitary and clean
- Attaches easily to NST-S1 & TCV-S1 collars
- Easy to wash or replace when soiled
- Revolution 700 Series & All Classic nylon colors
- Can be monogrammed for personalization and easy identificatior









#### PARTNERING TO KEEP YOUR APRONS CLEAN & SAFE

INFAB is proud to be a global cleaning solutions partner with Clorox.



#### **Excellent product aesthetics**

No harsh chemical odor or fumes No fragrance added Nonflammable, unlike guaternary ammonium-alcohol-based wipes

No volatile organic compounds (VOCs)

#### **Broad healthcare surface compatibility**

Recommended for plastics and laminated surfaces, whereas isopropyl alcohol will attack some forms of plastic, rubber and coatings\*

Surface materials: All INFAB aprons, stainless steel, vinyl, glass, baked enamel, chrome, glazed tile, glazed ceramic, glazed porcelain, porcelain enamel, laminated surfaces, plastic If light residue appears, it can easily be removed with a clean, damp cloth



<sup>\*</sup> Based on 30-second non-TB, non-Staphylococcus epidermidis bacteria and virus contact times for general disinfecting on federal master labels as of 2/14/13.



#### 683447

#### REVOLUTION SCRUBBLES APRON CLEANER

Scrubbles apron cleaner safely cleans your aprons of barium, blood and other common radiology related stains. Now with a clean citrus scent and a stronger more efficient formula.

SIZE 32 oz

Also Available 683448

Case of 12 32 oz bottles with Spray Caps



#### CLX28

#### **CLOROX SPRAY**

Recommended for: Multipurpose use on hard and soft surfaces

SIZE 32 oz



#### CLX24

#### CLOROX MULTIPURPOSE WIPES

Recommended for: Everyday cleaning and disinfecting, daily patient room cleaning, hard, high-touch surfaces

**SIZE** 6.75" x 9" **QTY** 95 ct



#### CLX26

#### CLOROX TERMINAL WIPES

Recommended for: Terminal cleaning and disinfecting of hard surfaces

**SIZE** 12" x 11" **QTY** 185 ct.



#### CLX27

#### CLOROX TERMINAL WIPES REFILL

Recommended for: Terminal cleaning and disinfecting of hard surfaces

**SIZE** 12" x 11" **QTY** 185 ct.

#### NSM NON-SLIP MATERIAL FOR SKIRTS



- Prevents your INFAB skirt from slipping down the waist and causing discomfort
- Can be added to any INFAB skirt by adding part number NSM



#### SHIN GUARDS

- Reduce radiation exposure to the shins
- · Hook and loop closures for easy adjustments

**COLORS:** Classic nylon colors **SIZES:** Small, Medium, Large

**CORE:** Lightweight Lead, KIARMOR Lead-Free

#### **REV-BAG** REVOLUTION APRON BAG



- Revolution fabric
- · Plastic bottom to prevent sagging
- · Opening on top of bag
- · Zipper across the top of bag



#### **909821** APRON BAG



#### **REV-SLV-1** REVOLUTION ATTACHED THYROID COLLAR SLEEVES



- Exclusive Revolution outer fabric
- · Additional protection for chest
- · Wear under any apron

**COLORS:** Revolution 700 Series

SIZES: Small, Medium, Large, X-Large, XX-Large
CORE: Lightweight Lead, KIARMOR Lead-Free



#### **REV-SLV-2** REVOLUTION SLEEVE INDIVIDUAL



- Exclusive Revolution outer fabric
- Hook and loop closure elastic strap for easy on/off convenience
- One per order

**COLORS:** Revolution 700 Series

**CORE:** Lightweight Lead, KIARMOR Lead-Free



#### **APW** AXILLARY PROTECTION WINGS

Increase the protection to your axillary region without sacrificing any mobility or adding weight to your apron.

**COLORS:** Revolution 700 Series & All Classic Nylon Colors

**CORE:** Lightweight Lead, KIARMOR Lead-Free







#### **SLV** OPTIONAL LEFT OR RIGHT SLEEVE

- · Added protection of the arm and shoulder
- .50mm LE
- Available on most INFAB apron models
- Optional removable snap on, permanent sewn on or hook and loop closure attached configuration

COLORS: Revolution 700 Series & All Classic Nylon Colors
ATTACHED: Sewn on, snaps or hook and loop closure
CORE: Lightweight Lead, KIARMOR Lead-Free









#### THE ORIGINAL BLACK BELT®

The Black Belt® is a 6" wide orthopedic elastic belt that supports your lower back while removing the weight of the apron from your shoulders. Optional KTC Buckle Attachment and/or side snaps.

COLORS: Black

**SIZES:** X-Small, Small, Medium, Large, X-Large, XX-Large

 257879
 6" Black Belt® - X-Small

 257880
 6" Black Belt® - Small

 257881
 6" Black Belt® - Medium

 257882
 6" Black Belt® - Large

 257883
 6" Black Belt® - X-Large

 257884
 6" Black Belt® - XX-Large

#### 257890 SUSPENDERS

- Fully adjustable suspenders with a handy snap on style.
- One size fits all.

#### **ACCESSORIES**



#### REVOLUTION ELASTIC BACK THINKING CAP

Revolution outer fabric

• Cool Wear moisture-wicking fabric

Scatter radiation protection
 Elastic-back for easy on/off convenience

SIZE: Small, Medium, Large, X-Large, XX-Large

COLORS: 700 Series Revolution Colors

PROTECTION: .25mm LE, .35mm LE, .50mm LE

CORE: Lightweight Lead, KIARMOR Lead-Free





#### CLASSIC THINKING CAP WITH TIE STRAPS

· Classic nylon colors

· Scatter radiation protection

· Head and skull radiation protection

· Cool Wear moisture-wicking fabric

SIZE: Small, Medium, Large, X-Large, XX-Large

COLORS: Classic Nylon Colors

PROTECTION: .25mm LE, .35mm LE, .50mm LE

CORE: Lightweight Lead, KIARMOR Lead-Free



# **400025** REVOLUTION HOOK AND LOOP CLOSURE BACK THINKING CAP

· Revolution outer fabric

· Cool Wear moisture-wicking fabric

· Scatter radiation protection

• Hook & loop back closure for customizable fit

SIZE: One Size Fits All

COLORS: 700 Series Revolution Colors

PROTECTION: .25mm LE, .35mm LE, .50mm LE

CORE: Lightweight Lead, KIARMOR Lead-Free





#### DC-25 LEAD-FREE DISPOSABLE THINKING CAP

Quantity 20/Case

• .25mm LE

· Adjusts to fit all head sizes

For use by all personnel during any interventional procedure

• 100% lead free for easy disposal

SIZE: One Size Fits All

COLORS: Scatter Armor Blue

**PROTECTION:** .25mm LE

**CORE:** KIARMOR Lead-Free


#### CASSETTE COVERS

#### **Protect Your Cassettes**

#### COMPLETE, HIGHLY EFFECTIVE PROTECTION FROM CONTAMINATION



14" x 17"




Protect your cassettes in our simple and convenient INFAB Cassette Covers.

Available in boxes of 100 or cases of 500 in an easy-to-use dispenser box.



16" x 19"



- Protect your cassettes from cross-contamination
- Protect your patients from infection
- Specially designed to fit your X-ray cassettes
- For use in any imaging area where a risk of contamination exists.

IN-STOCK SAME-DAY SHIPPING



24" x 20"

#### Help Stop the Spread of Infection



The Centers for Disease Control and Prevention (CDC) estimates that roughly 1.7 million hospital-associated infections, from all types of bacteria combined, cause or contribute to 99,000 deaths each year.<sup>1</sup>

<sup>1</sup> Klevens RM, Edwards JR, Richards CL, et al. (2007). "Estimating health care-associated infections and deaths in U.S. hospitals, 2002". Public Health Rep 122 (2): 160–6. PMID 17357358.

<sup>2</sup>Scott II, R. Douglas, (2009). "The Direct Medical Costs of Healthcare-Associated Infections in U.S. Hospitals and the Benefits of Prevention".

National Center for Preparedness, Detection, and Control of Infectious Diseases

#### ZIP TOP CASSETTE COVERS

#### **BOX OF 100/500**





Zip Top



- Zip top
- Packed in handy dispenser boxes
- 100 or 500 individual covers per box
- · Available in the five cassette sizes
- Always in stock
- Impervious to fluids
- · Available in money saving cases of 500.

- Easy to use
- High quality
- Sanitary
- Disposable
- Top grade polyethylene plastic

#### Model Description Dimensions Fits Cassette Size 911417-ZT Cassette Cover Zip Top Disposable Box of 100 17" x 19.875" 14" X 17" Disposable Box of 500 17" x 19.875" 14" X 17" 901417-ZT Cassette Cover Zip Top 911619-ZT Cassette Cover Zip Top Disposable Case of 100 19.25" x 22.25" 16" x 19" 901619-ZT Cassette Cover Zip Top Disposable Case of 500 19.25" x 22.25" 16" x 19" 912420-ZT Cassette Cover Zip Top Disposable Case of 100 20" x 24.625" 24" x 20" 20" x 24.625" 24" x 20" 902420-ZT Cassette Cover Zip Top Disposable Case of 500

#### FLIP TOP CASSETTE COVERS

#### **BOX OF 100/500**





Sandwich bag style flap

- "Sandwich" bag style flap
- Packed in handy dispenser boxes
- 100 or 500 individual covers per box
- · Available in the five cassette sizes
- Always in stock
- · Impervious to fluids
- Available in money saving cases of 500.

- · Easy to use
- High quality
- Sanitary
- Disposable
- Top grade polyethylene plastic

| Model  | Description    |                        | Dimensions      | Fits Cassette Size |
|--------|----------------|------------------------|-----------------|--------------------|
|        | •              |                        |                 |                    |
| 911417 | Cassette Cover | Disposable Box of 100  | 17" x 19.875"   | 14" X 17"          |
| 901417 | Cassette Cover | Disposable Case of 500 | 17" x 19.875"   | 14" X 17"          |
| 911619 | Cassette Cover | Disposable Box of 100  | 19.25" x 22.25" | 16" x 19"          |
| 901619 | Cassette Cover | Disposable Case of 500 | 19.25" x 22.25" | 16" x 19"          |
| 912420 | Cassette Cover | Disposable Case of 100 | 20" x 24.625"   | 24" x 20"          |
| 902420 | Cassette Cover | Disposable Case of 500 | 20" x 24.625"   | 24" x 20"          |







#### CASSETTE COVERS ROLL & RACK (AVAILABLE SEPARATELY)

- Easy to use
- · High quality
- Sanitary
- Disposable
- Top grade polyethylene plastic
- 300 individual covers per roll
- Always in stock
- Impervious to fluids

- Easy installation
- High quality

#### Fits up to 14" x 17" (35 x 43 cm) cassettes

| Model  | Description                                |
|--------|--|
| 900500 | Roll of 300 Disposable cassette covers     |
| 900750 | Wall mounted rack for cassette cover rolls |


#### CASSETTE COVER WALL MOUNTED RACK

- Stores 100 covers at your fingertips
- Easy to use

- High quality
- Easy Installation

| Model  | Description   |
|--------|---|
| 901825 | Cassette cover wall mounted rack for 14" x 17" covers |
| 910829 | Cassette cover wall mounted rack for 8" x 10" covers  |
| 911132 | Cassette cover wall mounted rack for 10" x 12" covers |







Reduce Scatter Radiation Dose Exposure with Disposable Shields & Drapes









The only bi-layer lead-free core material which passes DIN (6875-1), ASTM (F2547-18) and IEC (61331-1-2014) standards from 50 to 150 kVp.



"The scattered radiation from the patient comprises the main source of radiation dose to staff."

#### **Scatter protection**

Shields provide scatter radiation protection for radial and many other types of procedures. KIARMOR Bi-Layer is the most protective core material against scatter radiation.

#### How it works

Sterile Scatter Armor Shields are placed on top of the patient drape to block scatter radiation at the source, creating a scatter-free zone, reducing harmful radiation exposure to the doctor or clinician.

#### One-time use

Scatter Armor Shields are lead-free and disposable.

#### Sterile

Packaged individually in sterile packets.

#### **Flexible**

Scatter Armor Shields easily mold to the patients body for ease of use and maximum protection

#### **Scatter Radiation Testing**

According to ASTM Test Method F2547-18.

| Sample Information   | 50 kV | 70 kV  | 90 kV | 110 kV | 120 kV | 150 kV |
|----------------------|-------|--------|-------|--------|--------|--------|
| Scatter Armor Shield | 98.7% | 96.1%W | 92.0% | 87.8%  | 85.8%  | 80.1%  |

#### **Direct Beam Attenuation**

| Sample Information   | 60 kV | 80 kV | 100 kV | 120 kV |
|----------------------|-------|-------|--------|--------|
| Scatter Armor Shield | 0.967 | 0.911 | 0.846  | 0.788  |

#### **Absorbent**


highest absort material in the in heavy fluid situations.

| Absorbent Rate     | 1.3 sec                |
|--------------------|------------------------|
| Weight             | 2.36 osy / 80 gsm      |
| Absorbent Capacity | 686% 16.2osy / 549 gsm |

GSM - Grams per square meter, OSY - Ounce per square yard


#### Scatter Armor Multipurpose Shield

Transradial Access: Left and Right Radial, Shunt, Biliary Drainage, Spinal, Fibroid Embolization



#### Scatter Armor Multipurpose Shield with Fenestration


Needle Biopsy or Puncture Procedures.



Scatter Armor Peripheral Shield, Absorbent, No Fenestration Case


#### Scatter Armor Angiography Shield

Transfemoral Access: Angiography, Coronary Catheterization




#### **Scatter Armor EP Shield**

Subclavian Access: Bi-Ventricular Pacemaker Implants, ICS procedures, and Bi-Ventricular Pacing.



#### Scatter Armor Biliary Split Shield

Biopsy Procedures, Transjugular Intraheptic Portosystemic Shunt (TIPS)



#### Scatter Armor Dialysis Drape

Dialysis Access and Declotting Procedures.




#### Scatter Armor Peripheral Shield Peripheral procedures who

Peripheral procedures where the access is through the femoral Artery.







| Scatter Armor Shields  |
|--|
| Scatter Armor Multi-Purpose Shield, Absorbent, No Fenestration Box                             |
| Scatter Armor Multi-Purpose Shield, Absorbent, No Fenestration Case                            |
| Scatter Armor Multi-Purpose Shield with Fenestration, Absorbent, Rectangular Fenestration Box  |
| Scatter Armor Multi-Purpose Shield with Fenestration, Absorbent, Rectangular Fenestration Case |
| Scatter Armor EP Shield, Absorbent, Scoop Fenestration Box                                     |
| Scatter Armor EP Shield, Absorbent, Scoop Fenestration Case                                    |
| Scatter Armor Angiography Shield, Absorbent, Circular Fenestration Box                         |
| Scatter Armor Angiography Shield, Absorbent, Circular Fenestration Case                        |
| Scatter Armor Biliary Split Shield, Absorbent, Center Slit Fenestration Box                    |
| Scatter Armor Biliary Split Shield, Absorbent, Center Slit Fenestration Case                   |
| Scatter Armor Dialysis Drapes Box  |
| Scatter Armor Dialysis Drapes Case   |
| Scatter Armor Peripheral Shield, Absorbent, No Fenestration Box                                |

| Part Number | Unit       |
|-------------|------------|
| SA-MPS      | Box of 15  |
| SA-MPS-CS   | Case of 45 |
| SA-MPF      | Box of 15  |
| SA-MPF-CS   | Case of 45 |
| SA-EPS      | Box of 15  |
| SA-EPS-CS   | Case of 45 |
| SA-AGS      | Box of 15  |
| SA-AGS-CS   | Case of 45 |
| SA-BSS      | Box of 15  |
| SA-BSS-CS   | Case of 45 |
| SA-DDD      | Box of 10  |
| SA-DDD-CS   | Case of 30 |
| SA-PER      | Box of 10  |
| SA-PER-CS   | Case of 30 |



#### **1001** - C ARM DRAPE

This item fits all full-size C Arms. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

**HIGHLIGHTS:** CE Certified, Sterile Product, and Latex Free

**QUANTITY:** 30 Drapes (15 drapes per box, 2 boxes included)

 DIMENSIONS:
 42" x 72"

 PACKING SIZE:
 6" x 12" x 17"

 TOTAL WEIGHT:
 13.3 lbs.



#### **1002** - C ARM KIT

Contains C-Arm drape, gray Foot Switch Cover, Image Intensifier and X-ray Tube Cover. Fits OEC® 9600/9800/9900 matches OEC® part #00-901501-01 and E9100AG. Includes 5 mounting clips. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

**HIGHLIGHTS:** Sterile Product, and Latex Free

**QUANTITY:** 20 Drapes per box

**DIMENSIONS:** Multiply Dimensions in this Kit

PACKAGING SIZE: 7" x 21" x 24" TOTAL WEIGHT: 16.7 lbs.





#### **4003** - 54" X 63" MINI C ARM DRAPE

Fits mini-size C Arms, Xi-Scan, Fluoroscan 3" or 4" FOV. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

**HIGHLIGHTS:** Sterile Product and Latex Free

**QUANTITY:** 40 Drapes (20 drapes per box, 2 boxes included)

**DIMENSIONS:** 54" x 63" **PACKAGING SIZE:** 10" x 17" x 24"

TOTAL WEIGHT: 18 lbs.

#### **8003/5406** - FOOT SWITCH COVER

Foot Switch Cover that is clear and fits with Cinch Lock. Made from durable, high quality polyethylene materials with abrasion resistance to protect from rips or tears.

**HIGHLIGHTS:** Sterile Product, and Latex Free

**QUANTITY:** 100 per box **DIMENSIONS:** 17" x 15"

**PACKAGING SIZE:** 10" x 14" x 22"

TOTAL WEIGHT: 8 lbs.





#### **MEETS AAMI LEVEL 2 & 3**

#### **RECOMMENDED:**

ICU, Emergency, Trauma, Airborne, Contact and Droplet Precautions.

#### **MATERIAL:**

Non-Woven Spunbond Polypropylene with PE Coating and Elastic Cuffs.

#### MODEL:

| GOWN-D   | Large   | 100 psc/MOQ |
|----------|---------|-------------|
| GOWN-DXL | X-Large | 100 psc/MOQ |

#### **DIMENSIONS:**

#### LARGE:

Length 44", Width (Across Shoulders) 26", Sleeve Length 22"

#### X-LARGE:

Length 44.5", Width (Across Shoulders) 27", Sleeve Length 23.25"





#### **WASHABLE & REUSABLE GOWNS**

#### **RECOMMENDED:**

ICU, Emergency, Airborne and Contact Precautions.

#### **MATERIAL:**

Durable Polyester Microfiber w/Heavy Duty Nylon Tie Straps and Elastic Cuffs.

#### MODEL:

| GOWN-M   | Large   | 100 psc/MOQ |
|----------|---------|-------------|
| GOWN-MXL | X-Large | 100 psc/MOQ |

#### **DIMENSIONS:**

#### LARGE:

Length 44", Width (Across Shoulders) 26", Sleeve Length 22"

#### X-LARGE:

Length 44.5", Width (Across Shoulders) 27", Sleeve Length 23.25"











#### **GLASSES**

INFAB offers a complete array of lead glass eye protection and lead glass fitover frames. These attractive, stylish frames all meet the industry standard of 0.75mm lead equivalency radiation safety glass. Lead glass lenses provide protection from harmful radiation exposure.

\* Product availability and details may change at any time. For current information and availability, please view our online catalog at https://www.infabcorp.com/catalog.



#### NIKE FRAMES

\* Check for availability

Complete line of Nike frames.

#### **PRESCRIPTION**

We offer plano, single vision, bifocal, and bifocal progressive options.

#### **PROTECTION**

All glasses have lead protection. \* Varies per model

#### **FRAMES**

Wide variety of frames from top designers for all face shapes.

#### **PERSONALIZE**

Engrave a name, initials, phone number, or date.



#### **NIKE** - 7116

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

FRAME SIZE: Universal **WEIGHT:** 57G

PRESCRIPTION: Single-Vision, Plano

COLORS: Matte Dark Grey - Black, Matte Gridiron - Pacific Blue, Matte Black - Space Blue

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 56.1mm

Bridge Width: 15mm

Temple Length: 140mm

Lens Height: 38.8mm













7116-03 Matte Gridiron - Pacific Blue

7116-04 Matte Black - Space Blue



#### **NIKE** - 7117

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

**FRAME SIZE:** Universal **WEIGHT:** 60G

**PRESCRIPTION:** Single-Vision, Plano

**COLORS:** Matte Black - Gym Red, Matte Midnight Navy - Obsidian

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 54mm

Bridge Width: 16mm

Temple Length: 140mm

Lens Height: 38.9mm















#### **NIKE** - 7118

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

FRAME SIZE: Universal

**WEIGHT:** 54G

PRESCRIPTION: Single-Vision, Plano

COLORS: Matte Dark Grey - Volt, Matte Black, Matte Midnight Navy - Wolf Grey

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 55mm Bridge Width: 14mm Temple Length: 140mm Lens Height: 36.5mm









#### **NIKE** - 7284

Nike 7284 is a full rim, progressive eligible frame for men and women made of injected plastic. This model features a rounded edges shape, a single bridge, and durable hinges.

FRAME SIZE: Universal

WEIGHT: 57G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Brown Basalt - Clear Fade, Clear - Cool Grey

PROTECTION: .75mm LE

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Bridge Width: 16mm Lens Height: 39mm Temple: 145mm Lens Width: 54mm















#### **NIKE** - 7286

Nike 7286 is a full rim, progressive eligible frame for men and women made of eco-friendly plastic, bio acetate. This model features a rectangular shape with a single bridge featuring durable hinges.

FRAME SIZE: Universal

**WEIGHT:** 68G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Brown Basalt, Matte Obsidian - Blue

PROTECTION: .75mm I F

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Lens Width: 56.1mm Bridge Width: 15mm Temple Length: 140mm Lens Height: 38.8mm









#### **NIKE** - ADRENALINE 22

The Adrenaline 22 Nike frame feature a ventilated rubber nose bridge to reduce fogging. In addition, secure wrap temples provide stability, comfort, and added grip. Durable, no-screw hinges stay securely open and closed.

FRAME SIZE: Universal

**WEIGHT:** 68G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Matte Dark Grey - Blue, Matte Black - Volt, Matte Black - Grey

PROTECTION: .75mm LE

INCLUDES: Anti-fog spray, safety strap add-on, protective case

Lens Width: 64m Bridge Width: 15mm Temple Length: 130mm Lens Height: 40.4mm











**ADRENALINE22-02** Matte Black - Volt

**ADRENALINE22-03** Matte Black - Grey





#### **NIKE** - BRAZEN

The Nike Brazen glasses combine streamlined style, comfort and lightweight durability. They feature a nylon frame and ventilated nose bridge. The Brazen is our most popular model.

FRAME SIZE: Universal

**WEIGHT:** 77G

PRESCRIPTION: Single-Vision, Plano

**COLORS:** Matte Black- Military Blue, Shiny Black

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 60.5mm Bridge Width: 16mm Temple Length: 135mm Lens Height: 38mm









#### NIKE - BRAZEN FURY

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure eyewear fit. Core wire memory metal temple tips for on the fly eyewear adjustability and grip. Lightweight, durable nylon frame

FRAME SIZE: Universal **WEIGHT:** 82G

PRESCRIPTION: Single-Vision, Plano

**COLORS:** Matte Dark Grey - Silver Flash, Matte Midnight Navy,

Matte Black - White Red

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 55m Bridge Width: 14mm Temple Length: 130mm Lens Height: 36.5mm











Matte Black - White Red

Matte Midnight Navy





#### **NIKE** - BRAZEN SHADOW

The Nike Brazen Shadow features a rubber nose pad and temple tip inlays designed to become tackier as the skin perspires for a solid and secure eyewear fit. Core wire memory metal temple tips provide on-the-fly eyewear adjustability and grip.

**FRAME SIZE:** Universal **WEIGHT:** 60G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Matte Anthracite - Grey, Matte Dark Grey - Red

**PROTECTION:** .75mm LE

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Lens Width: 59mm Bridge Width: 16mm Temple Length: 130mm Lens Height: 37.4mm









#### **NIKE** - CLUB PREMIER

Flexible hinge for adaptable comfort and durability. Adjustable rubber temple arms for enhanced grip and fit. Adjustable nose bridge for a custom fit. Lightweight and durable combination metal and injected frame materials

**FRAME SIZE:** Universal **WEIGHT:** 77G

PRESCRIPTION: Plano, Single Vision

COLORS: Satin Walnut-Bronze, Satin Gunmetal-Blue

**PROTECTION:** .75mm LE

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Temple Length: 140mm

Lens Height: 38.8mm



Lens Width: 56.1mm



Bridge Width: 15mm









#### NIKE - MAVERICK

The Nike Maverick glasses are pure performance on the inside. The lightweight frame features ventilation and temple arms that provide a soft, firm grip, ensuring you can wear these for hours at a time.

FRAME SIZE: Universal **WEIGHT:** 78G

PRESCRIPTION: Single-Vision, Plano

**COLORS:** Matte Midnight Navy, Matte Cool Grey, Matte Black Red

**PROTECTION** .75mm LE

Anti-fog spray, safety strap add-on, protective case **INCLUDES** 

Lens Width: 59m Bridge Width: 15mm Lens Height: 45.3mm Temple Length: 145mm













#### **NIKE** - MAVERICK RGE

The Nike Maverick RGE sunglasses continue the Maverick legacy with long-wearing comfort and a flexible fit in an updated shape. Full rubber nosebridge and temple tips designed to become tackier as the skin perspires for a strong and secure fit.

FRAME SIZE: Universal **WEIGHT:** 78G

PRESCRIPTION: Single-Vision, Plano

**COLORS:** Matte Midnight Navy- Silver Flash, Matte Black-Grey, Matte Black-Green

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 59mm Bridge Width: 15mm Temple Length: 145mm Lens Height: 40.4mm









#### **NIKE** - PREMIER

Matte Black-Grey

Rubber nosepad and temple tip inlays designed to become tackier as the skin perspires for a strong and secure fit.

FRAME SIZE: Universal

**WEIGHT:** 64G

PRESCRIPTION: Single-Vision, Plano

**COLORS:** Matte Black, Matte Anthracite - Grey

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 60mm

Bridge Width: 13mm

Temple Length: 135mm

Lens Height: 39.3mm

Matte Black-Green

















#### **NIKE** - RABBID 22

Stay clear and focused at every angle in the Nike Rabid 22 lead glasses. Added rubber nose bridge and temples prevent slippage and fogging for optimum performance during procedures.

FRAME SIZE: Universal

WEIGHT: 60G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Matte Black - Red, Matte Obsidian - Blue, Matte Black - White

PROTECTION: .75mm LE

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Lens Width: 60.5mm Bridge Width: 16mm Temple Length: 135mm Lens Height: 38mm











#### **NIKE** - WAVE

The Nike Wave lead glasses feature a slim profile. Textured rubber on temple tips adds stability and grip.

FRAME SIZE: Universal

**WEIGHT:** 57G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Ironstone - Grey, Cave Purple - Grey

PROTECTION: .75mm LE

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm Bridge Width: 18mm Temple Length: 140mm Lens Height: 42.6mm













# COMBAT FOG AND GLARE

New specialized lens coating, Anti-Fog or Anti-Reflective to choose from!

#### **DESCRIPTION:**

Lens coatings are available on most glasses and will also increase durability and resistance to scratches.

#### **AVAILABILITY**

These coatings are only available on Plano and Single vision prescription glasses. \*Only one coating is possible per pair of glasses

**AR** • Anti-Reflective Coating



#### **Highlights:**

- Reduce glare from screens
- Less eye fatique
- Durable and resistant to scratches

AF · Anti-Fog Coating



#### **Highlights:**

- Enhance vision
- Eliminate fog
- Increase visibility

# GUCCI

#### RADIATION PROTECTION GLASSES





#### GG0752-003

Discover the GG0752-003 Gucci Lead Glasses by INFAB, a harmonious fusion of protection and style. These rectangular Gucci optical glasses feature a transparent grey frame with blue and red stripes, representing a perfect balance of luxury and contemporary fashion.

FRAME SIZE 56mm - 16mm - 150mm

PRESCRIPTION Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS Grey/Blue/Red

WEIGHT 68 G

**PROTECTION** .75 mm LE

INCLUDES Case, Cloth & Anti-Fog Spray

Lens Width: 56mm Bridge Width: 16mm Temple Length: 150mm







#### GG0424-001

Introducing the GG0424-001 Black Eyeglasses by Gucci, a symbol of style and sophistication. These exquisite eyeglasses boast a classic rectangular full-rim design with a sleek black frame made from a combination of plastic, acetate, and metal. Elevate your look with the timeless elegance and unmistakable luxury of Gucci eyewear.

 $\textbf{FRAME SIZE} \hspace{1.5cm} 56 mm - 16 mm - 145 mm$ 

PRESCRIPTION Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS Black
WEIGHT 68 G

**PROTECTION** .75 mm LE

INCLUDES Case, Cloth & Anti-Fog Spray

Lens Width: 56mm Bridge Width: 16mm

rago manin romin

Temple Length: 145mm







#### GG0372-004

Introducing the GG0372-004 Blue/Pink Eyeglasses by Gucci, a captivating blend of style and sophistication. With a mesmerizing blue front and temple color, these eyeglasses exude elegance, while the clear lenses add a fashionable and functional touch.

**FRAME SIZE:** 51mm - 17mm - 140mm

PRESCRIPTION: Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS: Blue/Pink
WEIGHT: 68 G

PROTECTION: .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 51mm Bridge Width: 17mm Temple Length: 140mm









#### **GUCCI GLASSES**

#### GG0343-007

Sylvie and Web concept glorified by the tri-colored temples with the House tones and new ones. Easy to wear rectangular frame characterized by dark shades in strong contrast with the colored temples. Soft spoken branding with golden Gucci lettering logo on the temple.

FRAME SIZE: 57mm - 18mm - 150mm

PRESCRIPTION: Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS: Multicolor

WEIGHT: 79 G

**PROTECTION:** .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 57mm Brid

Bridge Width: 18mm

Temple Length: 150mm

Lens Height: 40mm











#### GG0692-004

Modern, light and high-quality surgical stainless steel Gucci frame, rectangular masculine shape, and Gucci logo on temples.

FRAME SIZE 57mm - 16mm - 150mm

PRESCRIPTION Plano, Single V ision,

Most Bi-Focal & Bi-Focal Progressive

COLORS Black
WEIGHT 83 G

**PROTECTION** .75 mm LE

INCLUDES Case, Cloth & Anti-Fog Spray

Lens Width: 57mm Bridge Width: 16mm Temple Length: 150mm Lens Height: 38.2mm













#### GG0560-005

Vented radiation protection goggle with neoprene foam on the inside designed to protect against fluid splashing and perspiration. Easy to adjust with elastic head band. Prescription compatible (for most Rx). Lightweight and comfortable. Large lens area for maximum protection.

**FRAME SIZE:** 55mm - 20mm - 145mm

PRESCRIPTION: Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS: Black/Crystal

WEIGHT: 73 G

**PROTECTION:** .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 55mm Bridge Width: 20mm Temple Length: 145mm Lens Height: 41.6mm







#### GG0640-001

Gucci Collection Iconic shapes interpreted in a easy to wear and elegant mood. Rectangular frame. Gucci interlocking logo on temples framed by two silver-coloured bars. Classic color palette.

FRAME SIZE: 55mm - 16mm - 145mm

Alternative Fit

PRESCRIPTION: Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS: Black
WEIGHT: 73 G

**PROTECTION:** .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 55mm Bridge Width: 16mm Temple Length: 145mm Lens Height: 38.7mm













#### GG0640-002

Gucci Collection Iconic shapes interpreted in a easy to wear and elegant mood. Rectangular frame. Gucci interlocking logo on temples framed by two gold-coloured bars. Classic color palette.

FRAME SIZE: 55mm - 16mm - 145mm

Alternative Fit

PRESCRIPTION: Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

**COLORS:** Havana WEIGHT: 73 G

PROTECTION: .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 55mm Bridge Width: 16mm Temple Length: 145mm Lens Height: 38.7mm









#### GG0758-001

Best Seller shape interpreted in a modern, light and high quality version. Rectangular shape. Temples with Gucci logo. Classic color palette with solid and transparent tones.

FRAME SIZE 56mm - 17mm - 150mm

Alternative Fit

**PRESCRIPTION** Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

**COLORS** Black WEIGHT 65 G

**PROTECTION** .75 mm LE

**INCLUDES** Case, Cloth & Anti-Fog Spray

Bridge Width: 17mm



Lens Width: 56mm





Temple Length: 150mm



Lens Height: 38.6mm





#### GG0758-003

Best Seller shape interpreted in a modern, light and high quality version. Rectangular shape. Temples with Gucci logo. Classic color palette with solid and transparent tones.

**FRAME SIZE:** 56mm - 17mm - 150mm

Alternative Fit

PRESCRIPTION: Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

COLORS: Grey
WEIGHT: 65 G

**PROTECTION:** .75 mm LE

INCLUDES: Case, Cloth & Anti-Fog Spray

Lens Width: 56mm Bridge Width: 17mm Temple Length: 150mm Lens Height: 38.6mm









#### GG1046-004

Modern, light and high quality Gucci frame with exclusive spring hinge, rectangular shape, and Gucci logo on temples.

FRAME SIZE 55mm - 18mm - 150mm

PRESCRIPTION Plano, Single Vision,

Most Bi-Focal & Bi-Focal Progressive

 COLORS
 Black

 WEIGHT
 75 G

 PROTECTION
 .75 mm LE

INCLUDES Case, Cloth & Anti-Fog Spray

Lens Width: 55mm Bridge Width: 18mm Temple Length: 150mm Lens Height: 38.2mm











#### **GLASSES**



#### **FITOVERS ECOFIT**

Wrap around Radiation protection with .35mm LE side shield protection. The Hypo-allergenic Crystal Nylon™ Frame is designed to be worn over prescription eyewear

FRAME SIZE: Universal

**WEIGHT:** 90 G

PRESCRIPTION: Plano

**COLORS:** Black, Tortoise **PROTECTION** .75mm LE

**INCLUDES:** Anti-fog spray, safety strap add-on, protective case

Lens Width: N/Amm Total Width: 135mm Lens Height: 41mm





#### **FITOVERS LOTUS**

Fits frames not exceeding 141mm width x 40mm height. Wrap around Radiation protection. Hypo-allergenic Crystal Nylon $^{\text{M}}$  Frame. Designed to be worn over medium, oval, or round prescription eyewear frame shapes.

FRAME SIZE: Universal

WEIGHT: 84G

PRESCRIPTION: Plano

COLORS: Matte Black, Smoke Marble, Claret Stripe

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: N/Amm

Total Width: 141mm

Lens Height: 40mm













#### **FITOVERS ORION**

Fits frames not exceeding 140mm width x 43mm height. Wrap around radiation protection. Hypo-allergenic Crystal Nylon™ Frame. Designed to be worn over medium prescription eyewear frame shapes. Non Rx.

FRAME SIZE: Universal

WEIGHT: 84G

**PRESCRIPTION:** Plano

**COLORS:** Black, Blue Marble

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: N/Amm

Total Width: 140mm

Lens Height: 43mm







#### FITOVERS RAZOR

Fits frames not exceeding 132mm width x 38mm height. Wrap around Radiation protection, Hypo-allergenic Crystal Nylon™ Frame. Designed to be worn over small, square, or rectangle prescription eyewear frame shapes.

FRAME SIZE: Universal

WEIGHT: 82G

PRESCRIPTION: Plano

**COLORS:** Matte Black, Gun Metal, Olive-Charcoal

**PROTECTION** .75 mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: N/Amm

Total Width: 132mm

Lens Height: 38mm













#### **ACHILLES**

Vented radiation protection goggle with neoprene foam on the inside designed to protect against fluid splashing and perspiration. Easy to adjust with elastic head band. Prescription compatible (for most Rx). Lightweight and comfortable. Large lens area for maximum protection.

**FRAME SIZE:** Universal **WEIGHT:** 69G

**PRESCRIPTION:** Plano, Single Vision (-SV), Bifocal (-BF), Bifocal Progressive (-BF-P)

COLORS: Blue, Red, Plated Silver, Shiny Black

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm

Bridge Width: 17mm

\* Frame width: 128mm

Lens Height: 35mm









#### **CYBER FLEX**

High Quality Safety Glasses. Adjustable temple bar. Large viewing area. Side protection, 0.50mm with an oversized protective lens area.

**FRAME SIZE:** Universal **WEIGHT:** 95.4G

**PRESCRIPTION:** Single Vision, Plano

**COLORS:** Clear-Blue **PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 59mm Bridge Width: 19mm Temple Length: 135-150mm Lens Height: 40mm















#### **EVO**

The Evo includes permanent side shields with an adjustable nosepiece. These maximum protection glasses come with .75mm protection and a stylish, sleek look. Side shields for maximum protection. Clear inside plastic frame. Adjustable nose piece. EVO is an RX-friendly frame, and it will hold an SV, BF and BF-P.

FRAME SIZE: Universal WEIGHT: 90.4G PRESCRIPTION: Plano

COLORS: Matte Black

**PROTECTION** FRONT: .75mm LE, SIDE: .50mm LE

INCLUDES Anti-fog spray, safety strap add-on, protective case

Lens Width: 55mm

Bridge Width: 17mm

Temple Length: 140mm

Lens Height: 42mm









#### **FLIP TOP**

"Flip Top" radiation goggles are an all new product, designed to reduce scatter radiation by as much as 70% (actual reduction is dependent upon imaging technique used) Lightweight, Large protective area: 52mm x 154mm. Flips open when not needed. Adjustable nose bridge. Can be used as a stand alone radiation reduction goggle or fits easily over your existing glasses.

FRAME SIZE: Universal

WEIGHT: 44G
PRESCRIPTION: Plano
COLORS: Amber
PROTECTION .07mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: N/Amm

Total Width: 154mm

Temple Length: N/Amm

Lens Height: 52mm

















**683260** Silver

#### **INCREDIBLES**

The Incredibles are a stylish wrap around safety frame made of TR-90 high impact resistant plastic. ANSI Z87.1+ approved, lightweight and comfortable. Includes a high quality carrying case. Incredibles glasses are .75mm LE and available from stock in non-prescription.

**FRAME SIZE:** Universal **WEIGHT:** 75G

**PRESCRIPTION:** Single-Vision, Plano **COLORS:** Shiny Black, Silver

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 62m Bridge Width: 18mm





Temple Length: 145mm



Lens Height: 36mm

#### MAXX 30

Prescription compatible (for most Rx), First protective eyewear to receive the American Ophthalmology Associations seal of acceptance. Meets ANSI Z87.1+ standards along with ASTM F803 impact resistance standards. Temple bars and nose bridge have soft rubberized padding for extra comfort, lightweight and comfortable, large lens area for maximum protection Bifocal Progressive Rx frame (requires segment height).

**FRAME SIZE:** Universal **WEIGHT:** 63G

**PRESCRIPTION:** Plano, Single Vision (-SV), Bifocal (-BF), Bifocal Progressive (-BF-P)

**COLORS:** Black, Red, Silver, Blue

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 53mm Bridge Width: 17mm Temple Length: 130mm Lens Height: 35mm

















**830251** Red

**830252** Silver

**800070** Blue



#### PREMIUM WRAPS

The Premium Wraps feature a large prescription compatible front lens area with maximum radiation protection and side lens for peripheral vision. The frames include spring hinges, formable side temple bars and a fully adjustable nose piece.

**FRAME SIZE:** Universal **WEIGHT:** 97.3G

PRESCRIPTION: Plano, Single Vision

**COLORS:** Tortoise Shell

**PROTECTION** FRONT: .75mm LE. SIDE: .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 57mm Bridge Width: 19mm Temple width: 140mm Lens Height: 59mm







#### ZION

The Zion features a large protection area including permanent side shields. These heavy duty glasses are a combination of stylish and protective. Wrap around frame style. Protection on the sides provides a maximum protection of .75mm.

FRAME SIZE: Universal
WEIGHT: 91.4G
PRESCRIPTION: Plano
COLORS: Matte Black

**PROTECTION** FRONT: .75mm LE, SIDE: .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case



Lens Width: 56mm



Bridge Width: 19mm



Temple Length: 135mm



Lens Height: 42mm













#### ZONE

Rubber nose pads and rubberized temple bars. Wrap around design. Lightweight and comfortable. Large lens area for maximum protection.

FRAME SIZE: Universal WEIGHT: 75G

**PRESCRIPTION:** Plano

**COLORS:** Black, Silver, Red

**PROTECTION** .75mm LE

**INCLUDES** Anti-fog spray, safety strap add-on, protective case

Lens Width: 60mm

Bridge Width: 18mm

Temple Length: 135mm

Lens Height: 36mm











# RADIATION PROTECTION SURGICAL GLOVES





LEAD-FREE, POWDER-FREE, AND LATEX-FREE
THINNEST RADIATION GLOVE ON THE MARKET

SURGICA

The INFAB Radiation Protection Surgical Gloves are leadfree, latex-free, and powder-free and reduce radiation exposure during fluoroscopy procedures while offering superb dexterity, sensitivity, and tactile feel.

#### Protection During Fluoroscopy:

- · Interventional Cardiology
- · Interventional Radiology
- EVAR / TEVAR Procedures
- · Urological Stents
- Gastro ERCP
- C-Arm Fluoroscopy
- · Pain Management
- · Electro physiological (EP) Studies
- Ortho, Trauma, and Spine Surgery

#### **Radiation Protection Surgical Gloves**

| Model<br>Number | Size |
|-----------------|------|
| 797165          | 6.5  |
| 797170          | 7    |
| 797175          | 7.5  |
| 797180          | 8    |
| 797185          | 8.5  |
| 797190          | 9    |

| Glove Thickness | .07 in. (0.18 mm)            |             |  |  |
|-----------------|------------------------------|-------------|--|--|
| Color           | Black                        |             |  |  |
| Sizes           | 6.5, 7.0, 7.5, 8.0, 8.5, 9.0 |             |  |  |
|                 |                              |             |  |  |
| Source          | Aluminum                     | Measured    |  |  |
| Potential       | Half-Value Level             | Attenuation |  |  |
| 60 kVp          | 2.9                          | 56.5%       |  |  |
| 80 kVp          | 4.0                          | 47.1%       |  |  |
| 100 kVp         | 5.1                          | 41.6%       |  |  |
| 120 kVp         | 6.2                          | 37.7%       |  |  |
|                 |                              |             |  |  |

<sup>\*</sup> Tested to ASTM F2547-06







- Lead-free
- Sterile
- · Reduces exposure during fluoroscopy
- · Greater flexibility, dexterity and sensitivity
- Maintains tactile feel
- Natural latex-free
- · Powder-free to avoid contamination

<sup>\*</sup> Lead Equivalency: .05 mm Pb per RQR 6 IEC 61267





Designed to reduce the amount of scattered radiation exposure to the hands from the primary X-ray beam during radiological procedures. These gloves are Latex-Free, Lead-Free, and of course radiation protected.

**COLORS:** White

**ATTENUATION:** 60kVp:38%, 80kVp:30%, 100kVp:24%, 120kVp 19% (Cuff)

60kVp:49%, 80kVp:40%, 100kVp:33%, 120kVp 27% (Fingertip)

Direct beam energy levels. May vary by -/+ 5%

| HIGHLIGHTS:   | MODEL NUMBER: | SIZE: |
|---|---------------|-------|
| <ul> <li>Lead-free</li> <li>Latex-free</li> <li>Powder-free</li> <li>High sensitivity</li> <li>30% reduction of direct beam radiation transmitted at 100 kVp</li> </ul> | 683310        | 6.5   |
|   | 683315        | 7     |
|   | 683320        | 7.5   |
|   | 683325        | 8     |
| Packed in sterile pouch   | 683330        | 8.5   |
| Shipped from stock  | 683335        | 9     |



#### **REVOLUTION GLOVES**

INFAD's Exclusive Revolution Radiation Protection gloves are designed to be the most comfortable, flexible, lightweight and protective gloves. Revolution Radiation Protection Gloves come with tactile grip finger tips. The tactile grip helps with keeping a strong grasp on instruments during a long procedure.

COLORS: Black

**ATTENUATION:** Light (60kV:40%, 80kV:35%, 100kV:30%)

Medium (60kV:68%, 80kV:61%, 100kV:54%)

Heavy (60kV:75%, 80kV:69%, 100kV:63%)

#### **HIGHLIGHTS:**

- Latex-free
- Powder-free
- Tactile grip
- Tactile sensitivity
- Sterile
- · Maximum tactile sensitivity
- · Anatomical fit

| LIGHT<br>Model Number: | SIZE: | MEDIUM<br>Model Number: | SIZE: | HEAVY<br>MODEL NUMBER: | SIZE: |  |
|------------------------|-------|-------------------------|-------|------------------------|-------|--|
| 700165                 | 6.5   | 735065                  | 6.5   | 775065                 | 6.5   |  |
| 700170                 | 7     | 735070                  | 7     | 775070                 | 7     |  |
| 700175                 | 7.5   | 735075                  | 7.5   | 775075                 | 7.5   |  |
| 700180                 | 8     | 735080                  | 8     | 775080                 | 8     |  |
| 700185                 | 8.5   | 735085                  | 8.5   | 775085                 | 8.5   |  |
| 700190                 | 9     | 735090                  | 9     | 775090                 | 9     |  |

## 712- Ducks Green 707- Yellow 715- Orange 719- Coral 704- Pink 701- Red 713- Tide Red 702-Fuchsia 710- Purple 705- Navy 718- Royal Blue 8 708- Sky Blue 714- Jewelry Box Blue 717- Light Blue Serenity 706-Teal

709- Grey

700- Black

#### **REVOLUTION MAXI-FLEX GLOVES**

The perfect way to ensure your hands and lower forearms are fully protected by the most flexible, comfortable radiation protection gloves on the market. Comfortable fit with maximum dexterity. Soft removable, washable and replaceable inner liners reduce odors and allow for washing. Durable outer covers can be replaced. Revolution Maxi-Flex 5 Finger Lead Gloves come exclusively in our Revolution fabric, the softest and most comfortable material available for radiation protection.

**SIZES:** 15"

**COLORS:** Revolution Colors

**PROTECTION:** .50mm LE

**OPTIONS:** 683300- Gloves (Pair)

683306- Replacement Liners

683307- Replacement Covers

#### **HIGHLIGHTS:**

- · Revolution Fabric in solid colors
- · Tough, durable outer coverings
- · Soft, flexible and comfortable
- Removable, washable and replaceable "Cool Wear" moisture-wicking inner liners
- Replaceable outer covers





#### SPLIT PALM MITTENS

Outstanding manual dexterity. Slotted palm allowing the fingers to be extended from the mitten. Complete hand and lower arm protection.

**SIZES:** 15"

**COLORS:** Revolution Colors

**PROTECTION:** .50mm LE

**OPTIONS:** 683700- Open Palm Mittens (Pair)

683701- Open Palm Mittens (Right Only) 683702- Open Palm Mittens (Left Only)

#### SPLIT PALM MITTENS WITH FLAP

Special flap to close the opening in the mitten when finger extension is not desired. Outstanding manual dexterity. Slotted palm allowing the fingers to be extended from the mitten. Complete hand and lower arm protection.

**SIZES:** 15"

**COLORS:** Revolution Colors

**PROTECTION:** .50mm LE

**OPTIONS:** 683710- Open Palm Mittens (Pair)

683711- Open Palm Mittens w/Flap (Right Only) 683712- Open Palm Mittens w/Flap (Left Only)





684000 Hand Shields

#### HAND SHIELDS - 684000

Durable, comfortable and fully adjustable shields. Full upper hand protection with total mobility of the hand and fingers. Finger retainers are constructed of durable 1" polypropylene webbing. Hook and loop closure at wrist offers plenty of adjustment.

SIZE: One Size Fits All

**COLORS:** Blue

**PROTECTION:** .50mm LE

#### HIGHLIGHTS:

- · Durable, comfortable and fully adjustable
- Total mobility of the hand and fingers
- · Hook and loop closure

#### **MAXI-FLEX MITTENS**

The perfect way to ensure your hands and lower forearms are fully protected by the most flexible, comfortable radiation protection mitten on the market.

**SIZE:** 15"

**COLORS:** Revolution Colors

**PROTECTION:** .50mm LE

**OPTIONS:** 683303- MAXI-FLEX Mittens (Pair)

683308- MAXI-FLEX Mittens Replacement Liners

683309- MAXI-FLEX Mittens Outer Cover

#### **HIGHLIGHTS:**

- · Soft, flexible and comfortable
- Removable, washable and replaceable
- "Cool Wear" moisture-wicking inner liners
- Replaceable outer covers
- · Removable, washable and replaceable inner liners



### **BARRIERS**

INFAB high-quality radiation protection barriers are purpose-built to handle the daily rigors of hospital use. These smooth-rolling and easy-maneuvering barriers offer the highest levels of radiation protection in the industry.

#### **WINDOW**

Your choice of 2.0mm LE lead glass, completely encased with acrylic panels to help prevent damage and breakage, or .50mm LE acrylic.

#### **CASTERS**

Hospital-grade swivel locking casters for easy mobility and positive and secure placement.

#### **FRAME**

Powder coated steel frame. Precision TIG welded for years of trouble-free service completely enclosing the leaded glass panel for increased durability and safety.

#### **PROTECTION**

2.0mm LE lead glass or .50mm LE acrylic window 1.5mm LE base panel 2 0.75mm LE Curtains (1.5mm LE.)

#### **COLORS**

Standard white, black or grey. Custom options available. Upcharge applies.

#### **CUSTOMIZATION**

- Color: Frames can be custom powder coated in any pantone color (upcharge applies)
- · Size: INFAB can produce barriers to your specification
- · Logo: Add your logo to any barrier
- · Stainless Steel: Optional stainless steel frame







#### **EVO-460** FLAT PACK BARRIER

WINDOW: Acrylic .50mm Pb LE

**WINDOW SIZE:** 24" H x 30" W

**OVERALL SIZE:** 72" H x 34½" W x 25" D


FLOOR CURTAIN: Optional

COLOR: Aluminum Finish

**WHEELS:** 4 swivel casters, 2 with brakes

**SHIPPING:** BOX: 41½" x 51½" x 11½", 135 lbs / 61.24 kg

- Lightweight & Durable Aluminum Frame
- Wheels for Easy Mobility
- Wheel Locking System for Stability
- Compact Shipping Box
- · Cost-Efficient Shipping
- Easy 3-Step Assembly





#### **683462** TILTED BARRIER WITH REACH-THROUGH CURTAIN

WINDOW: 2.0mm LE Lead Glass or .50mm LE Acrylic

**WINDOW SIZE:** 24" H x 30" W

**OVERALL SIZE:** 70" H x 34" W X 25" D

**CURTAIN SIZE:** 20" H x 30" W

**COLORS:** Standard white, grey or black. Custom options available.

**FRAME:** Metal, Stainless Steel (Upgrade)

**SHIPPING:** Crate: 73" x 30" x 43", 355 lbs / 161.03 kg

- Tilted design for better view
- · Powder coated steel frame
- Acrylic impact panels, enclosed in a precision TIG welded frame for years of trouble-free service, completely enclosing the leaded glass panel for increased durability and safety
- 2 high-quality hospital grade locking casters
- 1.50mm LE opaque base covered in "Sintra" plastic for easy cleaning and durability
- Modular parts can be easily replaced, including the glass if needed.
- · Ergonomical viewing area
- Shipping worldwide by ground, air or sea freight



**REACH-THROUGH CURTAIN** 



#### 076994 PHYSICIAN PROTECTION MOBILE SCREEN

A unique new design for operating physicians that allows unparalleled protection for close-to-table studies. Sturdy, yet thoughtfully engineered with a small footprint so it can easily be positioned exactly where you want it for maximum scatter radiation protection.

**WINDOW:** .50mm LE acrylic **WINDOW SIZE:** 45.7" W x 18.7" H

**OVERALL SIZE:** Minimum Height: 57.5" (146 cm), Maximum Height: 69.7" (177 cm)

Base: 27" W x 24" D

**FRAME COLORS:** Standard white, grey or black. Custom options available. **CURTAIN COLORS:** Standard Revolution grey. Custom options available.

**FRAME:** Metal, Stainless Steel (Upgrade)

**SHIPPING:** Pallet: 48" x 40" x 12", 160 lbs / 72.57 kg

- Screen height adjustable by 11.8" (30 cm). Includes safety catch to set in desired position
- .50mm LE double protective curtain
- Horizontal position can be adjusted to fit close to table
- · 2 high-quality hospital grade locking casters
- Powder coated steel frame
- · Modular parts can be easily replaced, including the lead acrylic if needed.
- · Shipping worldwide by ground, air or sea freight



076994-IT

Optional 9"x 24" Stainless Steel Instrument Tray



LIGHTWEIGHT



#### **REV-PMC** REVOLUTION MOBILE CURTAIN

A unique new design for operating physicians that allows unparalleled protection for close-to-table studies. Sturdy, yet thoughtfully engineered with a small footprint so it can easily be positioned exactly where you want it for maximum scatter radiation protection.

**SIZE:** Adjustable height 43½" - 66"

Base: 34" W x 25" D

**CURTAIN:** 38"H x 30"W .50mm LE lead curtain with grey Revolution fabric

FRAME: Standard white, grey or black. Custom options available.


CURTAIN COLORS: Standard Revolution grey. Custom options available.

FRAME: Powder Coated Steel, Stainless Steel (Upgrade)

FRAME: Powder Coated Steel, Stainless Steel (Upgrade)

SHIPPING: Box: 13" x 42" x 9", 45 lbs / 20.41 kg

Box: 26" x 30" x 8", 30 lbs / 13.60 kg



- Smooth easy maneuvering
- Special spring mechanism allows for easy raising, lowering, and automatically holding shield
- .50mm LE double protective curtain
- 2 high-quality hospital grade locking casters





#### **REV-SPMC** REVOLUTION SOLID PANEL MOBILE CURTAIN

**SIZE:** 56" H x 30" W **CURTAIN:** 30" x 30"

**PROTECTION: REV-SPMC10** 1.0mm LE

REV-SPMC50 .50mm LE

FRAME COLORS:Standard white, grey or black. Custom options available.CURTAIN COLORS:Standard Revolution grey. Custom options available.FRAME:Powder Coated Steel, Stainless Steel (Upgrade)

**SHIPPING:** Box: 21" x 21" x 10", 18 lbs / 8.17 kg


Box: 16" x 33" x 7", 28 lbs / 12.7 kg

• Heavy-duty hospital-grade purpose-built unit.

- Adjustable height between 37" and 56"
- 30" wide by 30" tall lead vinyl curtain
- 2 high-quality hospital grade locking casters
- Smooth and easy maneuvering













#### **REV-MC** ECONOMY MOBILE CURTAIN

**SIZE:** 66" H x 28" W

CURTAIN:30" x 30" .50mm LE curtain with grey Revolution fabricFRAME COLORS:Standard white, grey or black. Custom options available.CURTAIN COLORS:Standard Revolution grey. Custom options available.

**FRAME:** Powder Coated Steel, Stainless Steel (Upgrade) **SHIPPING:** Box: 24" x 30" x 12", 20 lbs /9.07 kg

Box: 6" x 6" x 6", 27 lbs / 12.25 kg

· Raise and lower shield

• Smooth easy maneuvering

• .50mm LE double protective curtain

• 2 high-quality hospital grade locking casters









#### **683461** TILTED MOBILE BARRIER

WINDOW: 2.0mm LE Lead Glass or .50mm LE Acrylic

**WINDOW SIZE:** 24" H x 30" W

**OVERALL SIZE** 70" H x 341/4" W X 25" D

**COLORS:** Standard white, grey or black. Custom options

available.

**FRAME:** Metal, Stainless Steel (Upgrade)

**SHIPPING:** Crate: 73" x 30" x 43", 355 lbs / 161.03 kg

Powder coated steel frame

- Acrylic impact panels, enclosed in a precision TIG welded frame for years of trouble-free service, completely enclosing the leaded glass panel for increased durability and safety
- 2 high-quality hospital grade locking casters
- 1.50mm LE opaque base covered in "Sintra" plastic for easy cleaning and durability
- Modular parts can be easily replaced, including the glass if needed.
- Ergonomical viewing area
- Shipping worldwide by ground, air or sea freight

Tilted design for better view





#### **076993** TECHNICIAN PROTECTION MOBILE SCREEN

The Technician Protection Mobile Screen can be easily raised and lowered by hand and stays in position thanks to the perfectly counter-balanced internal springs. The high quality steel construction and stainless springs provide a lifetime of trouble-free use.

**SIZE RAISED:** 73" H x 31" W x 20 ½" D

**SIZE LOWERED:**  $44" \text{ H x } 31" \text{ W x } 20 \frac{1}{2}" \text{ D}$ 

**WINDOW SIZE:** 37.4" H x 27" W

**COLORS:** Standard white, grey or black. Custom options

available.

**FRAME** Metal, Stainless Steel (Upgrade)

**SHIPPING:** Crate: 31" x 49" x 41", 210 lbs/95.25kg

Retractable Window

- Multiple heights
- · Perfectly counter balanced
- · Easily raised and lowered
- 1.0mm LE base
- .50mm LE lead acrylic window
- · 2 high-quality hospital grade locking casters
- · Complete with bar to hold controls



New steel frame adds

strength and prevents bending

or warping of viewing window

## STANDARD BARRIERS

Available in a variety of heights, widths, and window configurations, INFAB barriers are fully customizable, to any specifications. Custom colors, logos and 100% stainless steel options are available. Full head-to-toe protection with our exclusive base curtain included on every barrier. Your choice of 2.0mm LE lead glass or .50mm LE acrylic window. All bases are 1.50mm LE.



#### 683492

## LARGE WINDOW MOBILE BARRIER

**SIZE:** 80¼" H x 40½" W X 25" D **WINDOW:** 72" H x 36" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING
 Crate: 30" x 78" x 48" 480lbs / 217.72 kg

683476

#### X-TALL MOBILE BARRIER

**SIZE:** 78¼" H x 40½" W X 25" D **WINDOW:** 60" H x 36" W

GLASS: Lead or Acrylic (-AC)
SHIPPING: Crate: 30" x 78" x 48"

Crate: 30" x 78" x 48" 450lbs / 204.12 kg

#### 683488

#### X-WIDE MOBILE BARRIER

**SIZE:** 74½" H x 76½" W X 25" D **WINDOW:** 36" H x 72" W

GLASS: Lead or Acrylic (-AC)
SHIPPING: Crate: 32" x 85" x 85"
600lbs / 272.16 kg

#### 683473

#### MID-TALL MOBILE BARRIER

**SIZE:** 74½" H x 34½" W X 25" D

 WINDOW:
 60" H x 30" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING:
 Crate: 73" x 30" x 43" 380lbs/172.36kq

### **BARRIER FEATURES**

- All INFAB Barriers include four hospital grade casters, 2 with locking brakes.
- Fully enclosed glass with our exclusive concussion panels to protect the lead glass.
- Easy-clean Sintra plastic base and high quality powder coated steel frames.



### 683482

### WIDE MOBILE BARRIER

 SIZE:
 72" H x 52½" W X 25" D

 WINDOW:
 36" H x 48" W

 GLASS:
 Lead or Acrylic (-AC)

SHIPPING: Crate: 30" x 72" x 60" 480 lbs / 217.72 kg

### 683465

### SMALL WINDOW MOBILE BARRIER

 SIZE:
 72½" H x 52½" W X 25" D

 WINDOW:
 12" H x 12" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING:
 Crate: 30" x 72" x 60" 380 lbs / 217.72 kg

### 683468

### MEDIUM WINDOW MOBILE BARRIER

 SIZE:
 74" H x 52½" W X 25" D

 WINDOW:
 12" H x 24" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING:
 Crate: 73" x 30" x 57"

410 lbs / 185.97 kg

### 683460

### STANDARD MOBILE BARRIER

 SIZE:
 72" H x 34½" W X 25" D

 WINDOW:
 24" H x 30" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING:
 Crate: 30" x 72" x 42"

 335 lbs / 151.95 kg

### 683484

### REGULAR MOBILE BARRIER

 SIZE:
 64½" H x 40½" W X 25" D

 WINDOW:
 24" H x 36" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING:
 Crate: 30" x 65" x 48"

430 lbs / 195.04 kg

### 683458

### "SHORTY" MOBILE BARRIER

 SIZE:
 45" H x 34½" W X 25" D

 WINDOW:
 24" H x 30" W

 GLASS:
 Lead or Acrylic (-AC)

 SHIPPING:
 Crate: 45" x 30" x 42"

 220 lbs / 99.79 kg



# **683495** ADJUSTABLE HEIGHT WRAPAROUND MOBILE BARRIER

An adjustable height, partial wraparound mobile barrier, designed for maximum protection. Easy to adjust and maneuver. Includes protection all the way to the floor.

**SIZE:** 42"-55" H x 36¾" W; Tower 25" W

Height adjusts from 42" to 55"

Inside 20½" W x 17" D

**PROTECTION:** .50mm LE

**COLORS:** All fabric options

**SHIPPING:** Crate: 30" x 42" x 44", 210 lbs / 95.25 kg

- · Powder coated steel frame
- 2 high-quality hospital grade locking casters
- · Shipping worldwide by ground, air or sea freight



Easy to adjust height

6 ft tall (72")







# **REV-MHAS** REVOLUTION MOBILE HANGING ACRYLIC SHIELD

Fully adjustable mobile shield that can be altered to user's preference. This product provides the benefits of an overhead suspension barrier with the mobility to fit into exam rooms of any size. The acrylic barrier can be raised, lowered, and rotated 360° in both vertical and horizontal planes to fit snug against the torso of the patient.

#### **KEY FEATURES:**

- · Mobile unit with superior stability.
- Gives user full control of shield placement.
- Pivot ball allows for 360° motion.
- Durable 0.50mm acrylic shield.
- Small footprint, does not interfere with physician's position at the table.

**DIMENSIONS:** 79" H x 37" W x 25" D WINDOW SIZE: 24" H x 30" W PROTECTION: Lead acrylic window .50mm LE **COLORS:** Standard off-white powder coated. Other colors available. **FRAME** Powder Coated Steel WHEELS: 4 swivel hospital grade casters (2 with brakes) Full 360° Pivot ball for precise positioning Front profile

# APRON RACKS

INFAB Apron Racks are purpose-built pieces of hospital equipment, designed to last as long as the facility they are being used in.

# **OPTIONS**

- Mobile
- Wall-Mounted
- Single Apron
- Multi-Apron
- Deluxe
- Economy
- Custom Colors

# **HOSPITAL GRADE MATERIALS**

- Cold-rolled metal or optional stainless steel frames
- Hospital grade casters, two with locking brakes, for easy mobility and positive placement when parked.

# THOUGHTFUL DESIGN

- Easy to use
- Space-efficient
- · Plentiful storage
- Easy on/off apron convenience











# 10 HANGER MOBILE APRON VALET

**ASSEMBLED SIZE:** 58" H x 26½" W X 25" D

**COLORS:** White/Chrome, Custom Options

**SHIPPING:** Box 1: 55" x 7" x 7", 25 lbs / 11.34 kg

Box 2: 16" x 32" x 14", 34 lbs / 15.42 kg

- Space saving; providing major storage while taking up minimum space.
- · Steel construction with baked enamel finish.
- · 2 high-quality hospital grade locking casters
- 10 Deluxe Custom Apron Hangers (683450) included

### 683438

# 20 HANGER MOBILE APRON VALET

**ASSEMBLED SIZE:** 58" H x 48½" W X 25" D

**COLORS:** White/Chrome, Custom Options

**SHIPPING:** Box 1: 55" x 7" x 7", 32 lbs / 14.51 kg

Box 2: 16" x 32" x 14", 43 lbs / 19.50 kg

- Space saving; providing major storage while taking up minimum space.
- · Steel construction with baked enamel finish.
- · 2 high-quality hospital grade locking casters
- 20 Deluxe Custom Apron Hangers included
- · Optional: full circle loop hangers (-H)



### 683419

### MINI MOBILE APRON RACK WITH HANGERS

**ASSEMBLED SIZE:** 78" H x 27" W X 25" D

**COLORS:** White, Custom Options

**SHIPPING:** Box: 29" x 49" x 8", 59 lbs / 26.76 kg

- Six apron hangers included
- · Heavy gauge cold rolled steel
- Powder coated
- · Attractive, durable, long lasting finish
- 2 high-quality hospital grade locking casters
- Holds up to six protection aprons, a pair of lead gloves and two pairs of radiation protection glasses







### 683407

# DELUXE MOBILE APRON RACK

**ASSEMBLED SIZE:** 53" H x 39" W X 26" D **COLORS:** White, Custom Options

**SHIPPING:** Box 1: 16" x 32" x 14", 25 lbs / 11.34 kg

Box 2: 40" x 29" x 12", 55 lbs / 24.95 kg Box 3: 58" x 17" x 9", 52 lbs / 23.59 kg

- Super heavy-duty
- 2 high-quality hospital grade locking casters
- · Stores up to ten protection aprons
- Optional vest and skirt adapter (Part Number 683000)
- · Holds up to 200 lbs. of aprons

### 683426

# 5 ARM BUDGET SAVER MOBILE APRON RACK

**ASSEMBLED SIZE:** 58" H x 26" W X 30" D **COLORS:** White, Custom Options

**SHIPPING:** Box 1: 51" x 7" x 7", 31 lbs / 14.06 kg

Box 2: 16" x 32" x 14", 34 lbs / 15.42 kg Box 3: 16" x 41" x 7", 21bs / 9.53 kg Box 4: 26" x 21" x 2", 12 lbs / 5.44 kg

- Economically priced
- · Heavy gauge steel
- Powder coated
- · 2 high-quality hospital grade locking casters
- Stores up to 5 protection aprons
- Convenient additional storage on base
- Optional vest and skirt adapter (Part Number 683000)

### 683427

# 10 ARM BUDGET SAVER MOBILE APRON RACK


ASSEMBLED SIZE: 58" H x 44½" W x 30" D


COLORS: White, Custom Options

**SHIPPING:** Box 1: 51" x 7" x 7", 36 lbs / 16.33 kg

Box 2: 16" x 32" x 13", 34 lbs / 15.42 kg Box 3: 58" x 16" x 9", 40 lbs / 18.14 kg Box 4: 22" x 44" x 2", 21 lbs / 9.53 kg

- · Economically priced
- Heavy gauge steel
- Powder coated
- 2 high-quality hospital grade locking casters
- · Stores up to 10 protection aprons
- · Convenient additional storage on base
- Optional vest and skirt adapter (Part Number 683000)





683101

5 Arm Left Folding Apron Rack

683100

5 Arm Right folding Apron Rack



### 683000

Vest and Skirt Rack Adapter

 Skirt rack adapter easily mounts to rack with included tool. Skirt hanging adapter provides convenient storage for vest & skirt aprons.

# WALL-MOUNTED 5 ARM APRON RACK

**ASSEMBLED SIZE:** 8¼ H x 6" W X 23" D **COLORS:** White, Custom Options

- Stores up to 5 aprons
- Swings out easily for immediate access to aprons
- Heavy duty
- Power coated steel mounting bracket and storage arms
- Arms with nylon bushings
- · Racks fold flush to wall
- Can be mounted side by side
- Optional vest and skirt adapter (Part Number 683000)

### **SHIPPING**

**683100** 5 Arm Folding Right Hand Folding
 Box 1: 10 lbs (12" x 30" x 6")

 **683101** 5 Arm Folding Left Hand Folding
 Box 1: 10 lbs (12" x 30" x 6")

# **683415** WALL-MOUNTED WALL TOWER RACK

**ASSEMBLED SIZE:** 48" H x 13 34" W X 27" D (w/racks)

**COLORS:** White, Custom Options


- Includes right and left 5 arm apron racks
- Heavy duty
- Handles toughest hospital environments
- Heavy gauge steel
- Powder coated
- Scratch resistant
- Easy to install
- · Hardware provided
- Requires only minimal space
- 13.75" wide x 48" tall

### **SHIPPING**

683115 Weak Wall Support Box 1: 10 lbs (12" x 30" x 6") 683415 Rack/Tower W/ R.H. & L.H. Racks Box 1: 10 lbs (12" x 30" x 6")



**683115** Weak Wall Support



# 683429 WALL MOUNTED RACK

**ASSEMBLED SIZE:** 12" H x 36" W X 26" D **COLORS:** White, Custom Options

- · Heavy gauge steel
- 200 lbs. capacity
- Powder coated
- · Scratch resistant
- · Easy to install
- · Requires only minimal space
- Stores up to 10 aprons
- Optional vest and skirt adapter (Part Number 683000)

#### 683429 SHIPPING

Box 1: 40 lbs (16" x 58" x 9")

# **683430** APRON AND GLOVE COMBINATION RACK


ASSEMBLED SIZE: 17" H x 2834" W (91/2" Baseplate)

**COLORS:** White, Custom Options

- Rounded corners to prevent accidental apron tears or skin punctures
- Quick, convenient storage
- Stores 1 apron and 1 pair of lead gloves
- · Sturdy & compact
- Mounts quickly and easily
- $\bullet \ \text{Heavy gauge steel mounting plate}\\$
- · Half inch outside diameter tubing
- · Electro static powder coated

#### 683430 SHIPPING

Box 1: 9 lbs. (19" x 30" x 11")



# **683420** APRON AND GLOVE STORAGE RACK

ASSEMBLED SIZE: 25" H x 28" W x 6" D

**COLORS:** White, Custom Options

- · Quick, convenient storage
- Sturdy
- Compact
- · Mounts quickly and easily
- · Heavy gauge steel mounting plate
- · Half inch outside diameter tubing
- · Electro static powder coated
- Great for dental aprons

683420 SHIPPING

Box 1: 15 lbs (26" x 31" x 8")



# **683102** PROTECTIVE ACCESSORIES RACK



ASSEMBLED SIZE: 21" H x 18½" x 5" D

COLORS: White, Custom Options

- Storage unit for two or more aprons, a pair of glasses and a pair of lead gloves
- · Mounts quickly and easily
- 18" wide
- Extends a mere 4.5" from the wall
- Contains no sharp edges
- Perfectly suited to small areas
- Powder coated heavy steel construction

#### 683102 SHIPPING

Box 1: 8 lbs (19" x 23" x 8")

# **683424** SINGLE BAR APRON RACK



ASSEMBLED SIZE: 6" H x 18 ½" W x 3" D

**COLORS:** White, Custom Options

- Storage unit for one apron
- Mounts quickly and easily
- Contains no sharp edges
- Perfectly suited to small areas
- Powder coated heavy steel construction

### 683102 SHIPPING

Box 1: 3 lbs (24" x 4" x 8")

# 683452 LOCKER SIZE HANGER



**SIZE:** 6" H x 14 ½" W

**COLORS:** White, Custom Options

0

Optional hook (-H)

- · Securely hold a radiation protection apron
- Constructed from heavy gauge steel tube
- · Designed to fit in personal locker
- Powder coated

# **683450** DELUXE CUSTOM HANGER



**SIZE:** 7½" x 22½"

**COLORS:** Chrome, Custom Options

5

Optional hook (-H)

- Securely hold a radiation protection apron
- · Constructed from heavy gauge steel tube
- · Chrome plated
- · Available in a pack of 5 hangers
- Part Number 683451

# **683412** TWO PEG WALL MOUNTED RACK



683412 683412-LS

Two Peg Wall Mounted Rack

Two Peg Wall Mounted Rack with Locking System

**ASSEMBLED SIZE:** 9" H x 15 %" W x 7%" D**COLORS:** White, Custom Options

**SHIPPING:** Box: 11" x 18" x 9", 6 lbs / 2.72 kg

# **683411** EIGHT PEG WALL MOUNTED RACK



683411

683411-LS

Eight Peg Wall Mounted Rack Eight Peg Wall Mounted Rack with Locking System

**ASSEMBLED SIZE:** 9" H x 46 ½" W x 7¼" D **COLORS:** White, Custom Options

**SHIPPING:** Box: 13" x 47" x 10", 21 lbs / 9.53 kg

# 683410 SIX PEG WALL MOUNTED RACK



683410 683410-LS

Six Peg Wall Mounted Rack Six Peg Wall Mounted Rack with Locking System

**ASSEMBLED SIZE:**  $9" H \times 34 \frac{1}{2}" W \times 7 \frac{1}{4}" D$  **COLORS:** White, Custom Options

**SHIPPING:** Box: 11" x 37" x 9", 16 lbs / 7.26 kg

# LS LOCKING SYSTEM



- · Available in 2 peg, 6 peg, or 8 peg configurations
- · Inexpensive and very effective
- Heavy gauge steel plate
- Electrostatic powder coated
- Tilted storage bars so aprons wont slip off
- · Requires minimal space
- · Includes lock

# HIIIIIII 11111111 1111111 11111 111

**REV-LOCKER-20** 

# **REVOLUTION MOBILE**

# APRON LOCKERS

Features digital passcode locks with keypad Set up to 3 administrative and user passcodes Battery operated lock with backup battery and emergency power supply



Hangers Included



Passcode Lock with Keypad







### **REV-LOCKER-5**

# REVOLUTION 5 HANGER MOBILE APRON LOCKER

**ASSEMBLED SIZE:** 65" H x 16" W x 26.5" D

**COLORS:** White, Grey, or Black

Custom colors available.

Ships in standard white unless specified.

**SHIPPING:** Crate: 29" x 20" x 70", 170 lbs / 77.11 kg

Includes 5 hangers Secure up to 5 aprons

# **REV-LOCKER-10**

### REVOLUTION 10 HANGER MOBILE APRON LOCKER

**ASSEMBLED SIZE:** 65" H x 32" W X 26.5" D

COLORS: White, Grey, or Black

Custom colors available.

Ships in standard white unless specified.

**SHIPPING:** Crate: 29" x 36" x 70", 205 lbs / 93 kg

Includes 10 hangers Secure up to 10 aprons

### **REV-LOCKER-20**

# REVOLUTION 20 HANGER MOBILE APRON LOCKER

**ASSEMBLED SIZE:** 65" H x 48" W X 26.5" D

**COLORS:** White, Grey, or Black

Custom colors available.

Ships in standard white unless specified.

**SHIPPING:** Pallet: 29" x 52" x 70", 230 lbs / 148.33 kg

Includes 20 hangers Secure up to 20 aprons



# CURTAINS

INFAB's line of radiation protection curtains provide the highest level of quality while offering full customization. These high quality curtains are available with a heavy-duty track that is built to your specifications. Our curtain tracks are available either straight or curved to ensure you get the right fit for your room. INFAB's radiation protection curtains are available in multiple levels of protection as well as any size, colors and fabrics that we offer.

#### **Custom Sizes**

Our radiation protection curtains are custom manufactured to whatever specifications you need. We will work with you to make sure that your curtains arrive exactly how you want them, and as quickly as possible.

#### **Custom Tracks**

INFAB knows not every room is built the same. If you need a curved track for your INFAB radiation protection curtains, we are happy to build it for you at your exact specifications. INFAB will gladly work with you to create the exact curtain and track you need to make your room perfect and functional.

Contact us with your configuration for an instant quote.

# LEAD CURTAIN



Our lead curtains include one grommet hole with a "S" hook every six inches.

COLORS: Classic Nylon Colors

**CORE:** Lightweight Lead, KIARMOR Lead-Free

**PROTECTION:** .25mm LE, .35mm LE, .50mm LE,

.75mm LE, 1.0mm LE

**SIZE:** Per square foot

683650 .25mm LE curtain with grommets (per sq. ft.)

**683655** .35mm LE curtain with grommets (per sq. ft.)

683660 .50mm LE curtain with grommets (per sq. ft.)

**683670** .75mm LE curtain with grommets (per sq. ft.)

**683675** 1.0mm LE curtain with grommets (per sq. ft.)

# 683680 STRAIGHT TRACK FOR CURTAIN

Mill finish 6063-T5 extruded aluminum 1-3/4" wide x 2" high, .080 thick. **Priced per linear foot.** 


**INCLUDES:** 1 Straight Track

2 End Stops

1 Single Carrier for each grommet hole on curtain

**OPTIONS:** Clamp Hanger


Ceiling Splice Trim Chain



### **OPTIONS:**



Clamp Hanger
Formed steel brackets clamp to track. Adjusts to any position.
Suspend track with welded chain or wire rope. 1 pair pictured.



### Ceiling Splice


To align and lock track sections together on ceiling mounted tracks.

1 pair pictured.

Note: Cannot be used with No. 132 Overlap Master or No. 10 Pivot Device due to interference with the wheels.



Trim Chain
3 links No.10 single jack chain added to carriers to provide 3" of curtain height adjustment



# 683690 CURVED TRACK FOR CURTAIN

Mill finish 6063-T5 extruded aluminum 5/8" wide x 1-11/16" high, 0094" thick. For curved track applications only. **Each piece requires custom quoting.** 

**INCLUDES:** 1 Curved Track

2 End Stops

1 Single Carrier for each grommet hole of curtain

**OPTIONS:** Clamp Hanger

Ceiling Splice Ceiling Hanger Trim Chain


Single Carrier
2 polyethylene wheels riveted to plated steel body with swivel hook.




Trim Chain

3 links No.10 single jack chain added to carriers to provide 3" of curtain height adjustment


### **OPTIONS:**



Splice Steel plates align and lock track together. 1 pair pictured.



Clamp Hanger
Formed steel brackets clamp to track.
Adjusts to any position. Suspend track
with welded chain or wire rope.1 pair
pictured.



Ceiling Hanger
Steel plate mounts flush to
ceiling. Track clamps to bracket
with offset clips.

# **Lead Curtains**

These scatter shields are attached to the table to protect both the operator and the patient from harmful radiation.

# **Easy Setup & Installation**

Easily slides onto most tables with side rails and quickly locks in to place with an adjustable knob.

# 077036 SINGLE PANEL SCATTER SHIELD

The below-table protection screen is attached to the table to protect the operator's lower body from radiation. The upper part of the screen (removable) protects against scatter radiation from the patient's body. The lower part protects the operator's lower body against the radiation from the tube source.

#### **UPPER SCREEN**

- .50mm LE with stiff support
- 11" H x 26" W
- · Hooks into mobile arm that can be easily removed

#### **LOWER SCREEN**

- .50mm LE made up of 4 strips
- 30" L x 26" W

Universal adapter bracket fits almost every table with a side rail





# **077035** MULTIPLE PANEL SCATTER SHIELD

1.3 cm

6 cm

The below-table protection screens are attached to the table to protect the operator's lower body from radiation. The upper part of the screen (removable) protects against scatter radiation from the patient's body. The lower part protects the operator's lower body against the radiation from the tube source.

### **UPPER SCREEN**

- .50mm LE with stiff support
- 11" H x 26" W
- Hooks into mobile arm that can be easily removed

#### **LOWER SCREEN**

- .50mm LE made up of 4 strips
- 30" L x 26" W

### **ADDITIONAL STRIP (INCLUDED)**

- Applied with addition of intermediate joint
- 30" L x 10" W

3.9 cm




# 990007 SADDLE SHIELD RADIATION PROTECTION CURTAINS


Saddle Shield Radiation Protection Curtians designed to help protect the body from being exposed to radiation.

### **KEY FEATURES**

- .50mm LE
- Significantly reduces scatter radiation
- Overlapping split front panels
- No special hardware or modifications to imaging equipment required
- · Available in any of our fabric colors
- Provide exact dimensions and drawing to fit your specific size table







### **683400** PATIENT PROTECTION SET

**INCLUDES:** Storage rack with 4 aprons (Toddler, Child, Average, Large)

COLORS: Classic Nylon Colors

CORE: Lightweight Lead, KIARMOR Lead-Free
PROTECTION: .25mm LE, .35mm LE, .50mm LE

SIZES: Toddler, Child, Average Adult, Large Adult









683401 9" H x 11.5" W Toddler Apron

683402 13" H x 13" W Child's Apron

683403 14" H x 17.5" W Average Adult Apron

683404 17" H x 21" W Large Adult Apron



# HALF APRON

### **HSV**

Hook and Loop Closure Half Apron

**HSV-S1** 12" x 24" Half apron with hook and loop closure

**HSV-M1** 18" x 24" Half apron with hook and loop closure

**HSV-L1** 24" x 24" Half apron with hook and loop closure



Standard hook and loop closure

### **ASB**

**Buckle Closure Half Apron** 

**ASB-S1** 12" x 24" Half apron with buckle closure

**ASB-M1** 18" x 24" Half apron with buckle closure

**ASB-L1** 24" x 24" Half apron with buckle closure



# **PP-ES** DISPOSABLE EYE SHIELDS



- Minimum 40% dose reduction
- Box of 50
- Barium sulfate shields are non-latex and 100% disposable

# **PP-TS** DISPOSABLE THYROID SHIELD



- Minimum 60% dose reduction
- Box of 50
- Barium sulfate shields are non-latex and 100% disposable

# **684120** OVARIAN SHIELDS



- Set of the three (Infant, Youth and Adult)
- Designed especially for ovarian procedures
- 1.0mm LE
- Easy to use and explain to your patient
- Available in our Classic Nylon Colors
- Durable
- · Easily wipes clean

# **PGS** GONAD SHIELDS



- - Set of three or available individually: (Infant, Youth and Adult)
  - 3/4" tie strap
  - Easy fastening around the waist
  - .50mm LE
  - Available in our Classic Nylon Colors

# **GND** TRIANGULAR GONAD SHIELDS



- Set of three (Infant, Youth and Adult)
- One inch tie strap
- Easy fastening around the waist
- .50 mm Pb equivalent



# PTD PATIENT TRANSFER DEVICE

- Radiolucent plastic
- 18" or 22" wide models
- Also available with storage rack
- Large hand holds
- One inch wide wrist straps
- Anti-static
- Thin
- Board slides easily from surface to surface
- Tested up to 300 lbs.

**MODELS:** PTD-18, PTD-22

COLORS: White SHIPPING: PTD-18

Box: 73" x 23" x 1", 11 lbs / 4.99 kg


PTD-22

Box: 73" x 23" x 1", 13 lbs / 5.90 kg



FEATURE YOUR COMPANY LOGO

Upcharge applies



# **683399** PATIENT TRANSFER RACK

Wall mounted rack for PTD storage

**SIZE** 9" H X 15" ¼ W x 6 ¾" D

# FDA

Establishment Registration & Device Listing: INFAB, LLC. 1040 Avenida Acaso Camarillo, CA 93012 Registration Number: 2024351 Date of Registration Status: 2017 Owner/Operator: INFAB, LLC. 1040 Avenida Acaso Camarillo, CA 93012 Owner/Operator Number: 2024351 1040 Avenida Acaso Camarillo, CA 93012 Phone: 805-987-5255

### FDA Certificate

| Device Classification Name:       | Shield, protective, personnel                            |
|-----------------------------------|--|
| 510(k) Number                     | K896289  |
| Device Name                       | RADIATION PROTECTION APRON                               |
| Applicant                         | INFAB, LLC.<br>1040 Avenida Acaso<br>Camarillo, CA 93012 |
| Regulation Number                 | 892.6500   |
| Classification Product Code       | KPY  |
| Date Received                     | 10/31/1989   |
| Decision Date                     | 12/14/1989   |
| Decision                          | Substantially equivalent (SE)                            |
| Classification Advisory Committee | Radiology  |
| Review Advisory Committee         | Radiology  |
| Statement/Summary/Purged Status   | Purged, no summary or statement                          |
| Туре                              | Traditional  |
| Reviewed by Third Party           | No   |

### 510(k) Premarket Notification

| Proprietary Name                | Non leaded apron  |
|---------------------------------|-------------------|
| Classification Name             | Apron, non leaded |
| Product Code                    | EAJ               |
| Device Class                    | 1                 |
| Regulation Number               | 892.6500          |
| Medical Specialty               | Radiology         |
| Registered Establishment Name   | INFAB, LLC.       |
| Registered Establishment Number | 2024351           |
| Owner/Operator                  | INFAB, LLC.       |
| Owner/Operator Number           | 2024351           |
| Review Advisory Committee       | Radiology         |
| Establishment Operations:       | Manufacturer      |









1. PRICING, DELIVERY AND PAYMENT. The prices for Product delivered under this Order do not include customs charges or duties, or sales, use, excise or similar taxes, or special packaging, or transportation, rigging, dravage, insurance charges and other costs associated with the delivery of Product to the destinations specified by the Customer unless specifically set out on the invoice as individual line items. Therefore Customer will pay directly to Seller ("Seller"), in addition to the prices specified in this Order, any amount set forth on Seller's invoices for customs charges, duties and/or taxes (or provide applicable tax exemption certificates acceptable to the taxing authorities) and special packaging costs, and shall pay directly to the involved carrier(s) all such delivery related costs. All licenses or certificates required for import or export of the Product shall be the responsibility of and obtained at the cost of Customer. Seller's terms are cash upon delivery, unless otherwise set forth in a distribution or reseller agreement. If payment is by credit card, an additional fee will apply. If credit terms are approved by Seller. Customer shall pay all invoices net thirty (30) days after date of shipment. If payment is not made when due, Customer shall be assessed a late charge equal to one and one-half percent (1-1/2%) of the past due balance for each month or partial month following the due date. Additionally, at sellers discretion, all discounts shall be removed and any amounts due shall be the current list price of such items, regardless of any other agreement or discount offered. All deliveries shall be made F.O.B. common carrier, Seller's plant. Title and risk of loss or damage will transfer from Seller to Customer upon delivery of goods at the F.O.B. point. Customer shall notify Seller, in writing, within one (1) calendar day after delivery, of any claimed shortages, damage or of rejection of the delivery. Sufficient detail to establish grounds shall be included in any rejection.

2. PRODUCT SAMPLES. Product samples will be provided to licensed distributors of Seller's product. Upon termination of a distribution arrangement, distributor shall return to Seller, at distributors expense, all samples previously provided to distributor by Seller in resalable as new condition. For any goods not returned in accordance with the above, Distributor will be invoiced for sample product at the same discount established for distributor for production goods. If invoice is not paid within 10 days of receipt, all discounts will be canceled and prices for samples will revert to full List Price.

3. SECURITY INTEREST. Seller reserves, until full payment is received, a Purchase Money Security Interest in each Product Unit and the proceeds of any sale thereof. A copy of this Order may be filed as a Financing Statement with the appropriate state authorities to perfect the security interest of Seller. 4. CANCELLATION OF PRODUCT. Customer hereby acknowledges and agrees that all Product is custom manufactured for each individual Customer and

once production has commenced there can be no cancellation of orders.

5. TERMINATION. This Order may be terminated by either party at any time: (a) if the other party has breached any material provision contained in this Order and has not cured the breach within thirty (30) days of receipt of written notice of the breach; or (b) if the other party petitions for relief under the Bankruptcy Act, if a receiver is appointed to conduct its business, if its makes an assignment for the benefit of creditors or if an involuntary bankruptcy petition is brought against it and has not been discharged within 30 days of date brought. Seller termination of this Order shall be without prejudice to any other remedies Seller may have. In the event Seller terminates this Order pursuant to Article 4. in addition to any other remedies available to Seller. Customer shall be obligated to pay for all Product shipped and shall accept delivery of and pay for all Product on order as of the date of termination. Customer's obligation to pay all charges accrued as of the termination hereof shall survive such termination. 6. GENERAL PROVISIONS. These terms and conditions shall supersede all terms and conditions printed or implied on any purchase order issued by Customer. No other terms or conditions shall be binding upon Customer or Seller unless said terms and conditions are specifically accepted in writing by Customer and Seller. The failure of Customer or Seller to enforce at any time or for any period of time any of the provisions of this Order shall not constitute a waiver of such provisions. Seller shall not be liable for delays or failure to ship for causes beyond Seller's control, affecting it or its suppliers, including, in part: natural disasters: war: Customer's conduct: labor unrest: riot: governmental interference; unavailability or shortage of labor, materials, fuel or power through customary means at normal rates; failure or destruction of plant or equipment arising from any cause whatsoever; or failure of transportation. If any provision of this Order should be determined to be unenforceable or illegal, it shall be deemed severable from the other provisions. which shall remain valid and enforceable. The validity. performance and construction of this Order shall be governed by the laws of the state of California. Customer agrees to accept venue in, and accept the exclusive jurisdiction of, the courts sitting in the state of California. Any disputes arising out of the performance of this Order shall be settled in accordance with the rules of the American Arbitration Association. The arbitrator may award all costs of dispute resolution, including attorneys' fees, to the prevailing party. Seller agrees that the Product to be furnished under this Order was produced in compliance with all applicable federal requirements with respect to fair labor standards and equal employment opportunity.

7. LIMITED WARRANTY ON PRODUCT. Seller warrants that all Products are warranted to be free of defects in material and workmanship for a period of two (2) years from the date of shipment. This excludes glasses.

Eyewear shipments in the U.S. are covered by a 30-day warranty from date of shipment. Products returned under the above warranty shall be either repaired or replaced at the sole discretion of INFAB, LLC., and is limited to the value of the Products on the date of the original shipment. All replaced parts and Product become the property of Seller. This limited warranty does not include service to repair damage to the Product resulting from customer's negligence, misuse, modification of the Product, or use for purposed other than those intended by its manufacture. Does not cover excessive use or wear and tear from improper storage or customer abuse or failure to follow proper care quidelines. Warranty is voided if any solvent based cleaning solutions are used. Seller's obligations under this limited warranty are conditioned upon Customer's compliance with Seller's reasonable instructions and requests in connection with its performance of such obligations. Service under this limited warranty may be obtained by delivering the Product at Customer's expense (using the original shipping container or its equivalent) during the warranty period to the manufacturer and providing proof of purchase date. Customer shall assume the risk of loss or damage in transit. Seller shall bear the cost for return of repaired or replaced Product under valid warranty claims to Customer by normal commercial means in the continental United States. For further information, refer to the Limited Warranty contained in Seller's standard product literature, if applicable.

NOTE: All aprons must be inspected by the facility before they are put into service. No returns for aprons with alleged pinholes, tears, or cracks will be allowed more than seven (7) days after the aprons have been received by the end user. Protective core material is fragile, easily damaged and therefore great care is needed to protect the integrity of the core material. All aprons are inspected and free of defects when they are shipped. Pinholes, tears, cracks and other damage to the protective core material can be caused by many different factors, but if they are not there when the apron is received and inspected, then they are not the responsibility of the manufacturer and the warranty does not apply.

EXCEPT AS SET FORTH HEREIN AND IN THE LIMITED WARRANTY INCLUDED IN SELLER'S STANDARD PRODUCT LITERATURE, IF APPLICABLE, SELLER HEREBY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ARISING OUT OF OR IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. OTHER THAN AS STATED ABOVE THE LIMITED WARRANTY SET FORTH IN THIS SECTION, COMBINED WITH THE LIMITED WARRANTIES CONTAINED IN SELLER'S STANDARD PRODUCT LITERATURE, IF APPLICABLE, SHALL CONSTITUTE THE SOLE AND EXCLUSIVE REMEDY OF CUSTOMER AND SHALL ESTABLISH

THE SOLE AND EXCLUSIVE LIABILITY OF SELLER. ITS SUCCESSORS OR ASSIGNS IN CONNECTION WITH THE PRODUCT. IN NO EVENT WILL SELLER BE LIABLE TO CUSTOMER FOR ANY DAMAGES, INCLUDING SPECIAL. INCIDENTAL OR CONSEQUENTIAL DAMAGES. ARISING OUT OF THE USE OR INABILITY TO USE SUCH PRODUCT. EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. OR ANY CLAIM BY ANY OTHER PARTY. SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF IMPLIED WARRANTIES OR OF LIABILITY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU SOME STATES DO NOT ALLOW THE LIMITATION OF LIABILITY OR THE EXCLUSION OF IMPLIED WARRANTIES. SO THE ABOVE LIMITATIONS AND EXCLUSIONS MAY NOT APPLY AND CUSTOMER MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

8. DAMAGE IN SHIPMENT. The packaging of Infab products meets or exceeds all requirements of the Consolidated Freight Classifications. However, all packages should be checked immediately upon arrival at Customers facility. Should any concealed damage be suspected the Customer shall note it on the Bill of Lading when received. If any concealed damage is discovered, place a hold the shipping container and contact the carrier to schedule an inspection. Any claim must be made directly to the carrier within 24 to 48 hours of merchandise or the claim may not be allowed. Any claim for damage must be made directly with the carrier. Infab cannot file a claim in the name of or for the benefit of the Customer. Failure to follow this exact procedure could invalidate your claim. 9. DELIVERY. All stock items are shipped from our warehouse the same day if P.O. is received before noon. Otherwise it will ship next day. Non-stock or custom items (such as modified or special size aprons and/or monogramming) are shipped within 7 to 10 days of our receipt of your completed order. All special services such as UPS Blue or Red. Fed-Ex. Airborne, etc. can be accommodated at actual cost.

10. MINIMUM ORDERS. There is a \$100.00 minimum per purchase order.

11. EXCHANGES OR RETURNS. Exchanges or Returns must have prior approval by notifying us within 5 days of receipt of the order whether shipped direct to you or drop shipped to your customer. All returns must be sent in their original packaging. A 20% restock charge plus all freight charges including the outbound and return freight will be due and payable. Custom items such as special sized aprons, monogrammed aprons or a product with any modification are not returnable. This includes barriers or racks in any other color except our standard Medical White.

# INFAB

INFAB, LLC.

Email: info@infabcorp.com www.INFABCORP.com

1040 Avenida Acaso

Camarillo, CA, USA 93012

Phone: (805) 987-5255

Fax: (805) 482-8424









