



## OTS CLASSIC

CEILING MOUNTED TUBE SUPPORT  
MANUAL SYSTEM



# Performance, Versatility, and Low Cost of Ownership

The AMRAD Medical OTS Classic delivers maximum capability and is designed for use in orthopedics, imaging centers, free-standing ERs and hospitals.



OTS Classic



## M200 MANUAL OVERHEAD TUBE

Optimally balanced ceiling-mounted tube stand makes for featherweight, easy movement for maximum flexibility.

- ✓ One-touch lock release and color-coded annotations make positioning fast, improving patient throughput
- ✓ Vertical axis is motor driven for ease of movement
- ✓ Electromagnetic locks with safety ON in case of power outage



*Table Elevation Control Handle (T.E.C.H.) with lock release*

## S222 RADIOGRAPHIC TABLE

The elevating, four-way float, flat top allows for easy transfer and positioning of patients.

- ✓ 650 pound patient capacity
- ✓ Recessed four-pedal design provides easy operation and patient safety
- ✓ Collision protection and fail-safe locks for added patient safety

## J1000 WALL STAND

The fully counterbalanced wallstand with rigid construction ensures precise alignment.

- ✓ Center or side-mounted for patient and/or configuration flexibility
- ✓ Side-mounted and overhead hand grips for patient stability and positioning
- ✓ Collimator light can be activated from the wallstand, improving productivity



*Ergonomic lock release handle on wallstand for ease of positioning*

# OTS Classic Specifications

## Radiographic Table (S222)

### ELEVATING FOUR-WAY FLOAT TOP TABLE

- Foot treadle operation of table top and height movements
- 650 lb. rated patient load with collision protection
- Variable table height, 23 in. to 34 in.
- +/-5 in. transverse travel, 30 in. longitudinal travel
- 84 in. x 30 in. flat, seamless table top
- Optional 35.5 in. width table top is also available

## Wall Stand (J1000)

### WALL-MOUNTED WALL STAND (17"X 17")

- Fully counterbalanced
- 17 in. x 17 in. grid cabinet with front panel travels from floor to 76 in.
- Grid: 10:1 ratio, 103 LPI, specify focal range
- Specify left or right load
- Heavy-duty deluxe cassette tray 06338
- Electric locks
- Operates on 24VDC
- Optional Long 17 x 51 in. format wall stand is also available

## Overhead Tube Support (M200)

### CEILING MOUNTED TUBE SUPPORT

Recommended ceiling height 9' to eliminate any positioning challenges

- 15 feet / 4.6 meter longitudinal rails – longitudinal travel 192 in.
- 10 feet / 3 meter bridge – transverse travel 95 in.
- Motorized vertical column – vertical travel 63 in.
- Tube column rotation - 180° with detents every 45°
- Tube angulation ±135° with detents every

## Generators

- Choose from our S Series, E Series or M Series 40 kW - 80 kW HF Generator options



Both our OTS Elite and OTS Classic systems offer equal features and earn equal reimbursement as that of the more costly competition . . . all of this at 5-times the warranty!



**SUMMIT INDUSTRIES**

A NETWORK OF SERVICE & SUPPORT

Summit Industries' successful service network surrounds you with a dynamic team of exceptional experts. Your organization and your patients will benefit from the experience and best practices that only Summit Industries and their Authorized Dealer Network can offer.

**AMRAD**  **Medical**  
by Summit Industries

LITR034-1124

**SUMMIT INDUSTRIES, LLC**

7555 N. Caldwell Avenue, Niles, Illinois 60714

(p) 773-353-4000 | (p) 1-800-729-9729



[www.amradmedical.com](http://www.amradmedical.com)