

Date Prepared: February 1, 2006

Section I. Product Identification

Product Name: LoSo Prep Product

Manufacturer: Made by Tower Laboratories, Ltd., for E-Z-EM, Inc., 1111 Marcus Avenue, Suite LL-26, Lake Success, New York, 11042

Emergency/Information Contact: Adrienne Setton

Emergency/Information Telephone: (800)-544-4624 or (516) 333-8230, extension 3400

Product Codes: 3076

Note: For information on product code 3066 contact Cumberland Swan at (800) 486-7926. For information on the Bisacodyl Suppositories contact Clay Park Labs at (718) 901-2800 and for information on the Bisacodyl Tablets contact Time Cap Labs at (631) 753-9090.

Section II. Components

Components	CAS No.	%(optional)
Magnesium Carbonate	546-93-0	Proprietary
Citric Acid	5949-29-1	Proprietary
Potassium Citrate	6100-05-6	Proprietary
Sodium Saccharin	128-44-9	>0.1%
Artificial/Natural Flavors and Sweeteners		Proprietary

Section III. Physical Data

Boiling Point: N/A

Specific Gravity (H₂O = 1): N/A

Vapor Pressure (mm Hg): N/A

Melting Point: N/A

Vapor Density (Air = 1): N/A

Evaporation Rate (Butyl Acetate = 1): N/A

Solubility in Water: Magnesium carbonate is insoluble in water, the other ingredients are soluble.

Appearance & Odor: Orange granules, slight orange odor

Section IV. Fire and Explosion Hazard Data

Flash Point (method): N/A

Flammable Limits: UEL - N/A LEL - N/A

Fire Extinguishing Media: Use extinguishing media that is suitable for surrounding fire.

Special Fire Fighting Procedures: Firefighters should wear full protective equipment and self-contained breathing apparatus with full face piece.

Unusual Fire & Explosion Hazards: None known

Toxic Gases Emitted: : carbon monoxide, carbon dioxide, metallic oxides

Section V. Reactivity Data

Stability: Stable

Conditions to avoid: High heat

Incompatible materials: Acids, strong oxidizers

Decomposition products: Not tested

Hazardous Polymerization: Will not occur

Section VI. Health Hazard Data

Permissible Exposure Limit (PEL) for nuisance dust: Total Dust - 15 mg/m³ Time Weighted Average (TWA)

Respirable dust - 5 mg/m³ TWA

Threshold Limit Value (TLV): Total Dust: 10 mg/m³ TWA

Short-Term Exposure Limit (STEL): Not established

Routes of Exposure: Inhalation, Ingestion

Health Hazards (acute and chronic): Through normal routes of entry, not expected to be a hazard.

In some cases where skin and eye contact occurs, product may cause irritation. No adverse health effects expected from chronic exposure.

Carcinogenicity: None known

Effects of exposure: May cause eye and skin irritation. If exposure levels are exceeded via inhalation, difficulty in breathing may occur. If large quantities are ingested, will cause diarrhea and abdominal pain.

Medical conditions generally aggravated by exposure: None known when used as directed.

Emergency and First Aid procedures:

- Eye contact - Flush with water for at least 15 minutes, seek medical attention.
- Skin contact - wash area thoroughly with soap and water. If irritation persists, seek medical attention.
- Inhalation - remove to fresh air; get medical attention for any breathing difficulty.
- If ingested - when taken in proper dosage, there is no cause for concern. If large quantities, seek medical attention immediately.

Section VII. Spill and Disposal Information

Steps to be taken in case material is released or spilled: Wear appropriate protective equipment, such as nitrile gloves and safety goggles. Sweep up the product and place in an appropriate container. Try to minimize the amount of dust generated. Label container appropriately.

Waste Disposal Procedures: Products are not listed hazardous wastes under RCRA. Products are not likely to qualify as characteristic hazardous wastes, but any final determination depends on the specific circumstances of product usage and handling. Disposal should take place in compliance with federal, state and local laws and regulations.

Section VIII. Handling and Storage Precautions

Store in a dry and cool environment with the temperature at 50°F - 70°F. Avoid unnecessary skin contact or inhalation.

Do not smoke, eat or drink while handling products. Practice good industrial and personal hygiene to avoid unnecessary exposure. Use only under the supervision of a physician.

Section IX. Protective Equipment

Respiratory Protection: If exposure levels are exceeded, use a dust respirator.

Ventilation: Use adequate local exhaust ventilation to keep dust levels as low as possible. Local exhaust is recommended when exposure levels may be exceeded.

Protective Gloves: Appropriate gloves

Eye Protection: Safety goggles or glasses

Emergency Equipment: Always ensure there is an emergency eye wash in the area.