MATERIAL SAFETY DATA SHEET

SECTION 1 - General Information

PRODUCT NAMI

RP-3 Automatic x-ray Developer Concentrate, Part B

PRODUCT USE	Photographic solution	HMIS SCALE	HEALTH	3	FLAMMABILITY	1	REACTIVITY	0	PPE	В
SUPPLIER	White Mountain Imaging		catalog # 4010D-RF	P3,	45200D-RP3	}				
ADDRESS	PO Box 216 Salisbury NH 03268									
PHONE NO.	603-648-2124 EMERGENCY TEL # (CHEMTREC 800-424-9300								

SECTION 2 - Product and Hazardous Ingredients Information											
HAZARDOUS INGREDIENTS	CAS NUMBER	W/W %	Permissible Exposure Limit	LD50	LC50						
Diethylene glycol (2-hydroxyethyl ether)	111-46-6	70-80	OSHA TWA 10 ppm	12565 mg/kg	130 mg/m ³ 2h						
Acetic acid	64-19-7	<10	OSHA TWA 10 ppm	3310 mg/kg	5620 -1h						
1-phenyl-3-pyrazolidinone	92-43-3	3-7	not listed	200 mg/kg	not available						
Water	7732-18-5	3-7	not listed	42.6 gm/kg	not available						
Indazole Derivative	5401-94-5	<1	Not established	not available	not available						

SECTION 3 - Hazards Identification

EFFECTS OF ACUTE EXPOSURE TO PRODUCT

WARNING: Avoid contact with skin, eyes or clothing. May cause severe irritation and possible burns to eyes, skin and respiratory tract. Ingestion may cause nausea and vomiting and diarrhea.

EFFECTS OF CHRONIC EXPOSURE TO PRODUCT

Prolonged skin contact may cause allergic reaction or dermatitis.

SECTION 4 - First Aid Measures

SKIN CONTACT

Wash exposed skin thoroughly with cold water for 15 minutes. If irritation persists seek medical advice.

EYE CONTAC

Flush eyes with water for at least 15 minutes. Seek medical attention immediately.

INGESTION

DO NOT induce vomiting. Seek medical attention if symptoms appear.

INHALATION

If inhaled, immediately remove to fresh air. If irritation persists seek medical advice.

SECTION 5 - Fire Fighting Measures IF YES, UNDER WHAT CONDITIONS FLAMMABILITY NO X MEANS OF EXTINCTION As needed to extinguish adjacent fire source. FLASHPOINT (°C) AND METHOD AUTOIGNITION TEMPERATURE (°C) UPPER FLAMMABLE LIMIT (% BY VOLUME) LOWER FLAMMABLE LIMIT (% BY VOLUME) 255 °F cc 10.8 % 1.6% 444 °F HAZARDOUS COMBUSTION PRODUCTS EXPLOSION DATA SENSITIVITY TO IMPACT SENSITIVITY TO STATIC DISCHARGE See "Hazardous Decomposition Products". Not susceptible Not susceptible

SECTION 6 - Accidental Release

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate. Consult with governmental regulatory agencies for appropriate disposal of this material. Wear appropriate protective equipment.

SECTION 7 - Handling and Storage

Read and follow the label, material safety data sheet, and instructions before using. Avoid any contact with skin and eyes. Keep container tightly closed. Avoid incompatible substances. Wash thoroughly after handling this product.

SECTION 8 - Exposure Controls Good general ventilation. VENTIATION Nitrile gloves **EYE** Splash goggles RESPIRATORY Acid gas/organic if ventilation not adequate SKIN OTHER Eye wash station **SECTION 9 - Physical and Chemical Properties** ODOR THRESHOLD PHYSICAL STATE Clear yellow liquid with slight vinegar odor Liquid Not available VAPOUR DENSITY (Air = 1) EVAPORATION RATE (Water = 1) VAPOUR PRESSURE (mmHg) **BOILING POINT** FREEZING POINT > 212°F < 32°F < 13 mm Hg 0.6 mm Hg Not available PERCENT VOLATILE (BY VOLUME) SOLUBILITY IN WATER (20°C) SPECIFIC GRAVITY COEFF WATER OIL 2.6 $1.135 \pm .005$ Complete Not available 85% **SECTION 10 - Stability and Reactivity Data** IF NO, UNDER WHAT CONDITIONS CHEMICAL STABILITY YES NO INCOMPATIBILITY WITH OTHER SUBSTANCES IF YES, WHICH ONES? NO Strong reducing agents and strong bases YES REACTIVITY, AND UNDER WHAT CONDITIONS Stable under ambient pressure and temperature. HAZARDOUS DECOMPOSITION PRODUCTS Oxides of nitrogen, oxides of carbon, sulfur oxides **SECTION 11 - Toxicological Information** IRRITANCY OF PRODUCT **EXPOSURE LIMITS** SENSITIZATION TO PRODUCT CARCINOGENICITY TWA: 10 (ppm) Eye: Irritant May cause dermatitis Not listed by IARC, Skin: Irritant OSHA or ACGIH. TERATOGENICITY MUTAGENICITY SYNERGISTIC PRODUCTS REPRODUCTIVE TOXICITY Not known Not known Mutagenic for bacteria Not known **SECTION 12 - Ecological Information** Ecotoxicity in water (LC50): 423 mg/l 24 hours [Fish (Goldfish)]. 88 ppLm 96 hours [Fish (fathead minnow)]. 75 ppm 96 hours [Fish (bluegill sunfish)]. >100 ppm 96 hours [Daphnia]. BOD5 and COD: BOD-5: 0.34-0.88 g oxygen/g **SECTION 13 - Disposal Considerations** Dispose of this product in accordance with federal, state and/or local laws. **SECTION 14 - Transportation Information** Not regulated for transportation by DOT and TDG **SECTION 15 - Regulatory Information** TSCA 8(b) inventory: Acetic acid CERCLA: Hazardous substances.: Acetic acid: 5000 lbs. (2268 kg) California Director's List of Hazardous Substances (8 CCR 339): Acetic acid RTK Listed in New York, Rhode Island, Pennsylvania, Florida, Minnesota, Massachusetts, New Jersey D2-B (materials causing other toxic effects) under Canadian WHMIS regulations.

SECTION 16 - Other Information

The information contained in this MSDS is furnished without warranty of any kind. The user should consider this data a supplement to other data gathered and must make an independent determination of suitability from this and other sources to assure proper use and disposal of this material and the health and safety of employees and customers.

PREPARED BY PHONE NUMBER EssentialEHS Inc. 905-799-3805